2023

Wear Resistant Parts

Grass Care Catalogue



ASP Components™





AUSTRALIA'S LARGEST BORON PARTS RANGE
PERFORMANCE
BORON
DURABILITY

Ph: 07 3881 3464
sales@asproducts.com.au
www.asproducts.com.au



SWING TIP MOWER BLADES

(Blades to suit Push Mowers & Finishing Mowers)

Part Number	Description	
AGRIFARM **BS-30151** Replaces OEM 30151	Stepped, double edge swing tip blade Use with **BSA-30444** Bolt set (includes 1 x bolt, nut & washer)	Length 110mm from centre of hole Hole 18mm Width 50mm Thick 5mm Step 10mm 
COX **BD-08012K** Replaces OEM MB150AHD	Stepped & fluted swing tip blade & bolt set - sold as a pair, Right hand cut. Suit 28" & 48" Orion, Scout & Stockman (Includes 2 x blades & 2 x bolt, nut & washer)	Length 150mm from centre of hole Hole 13mm Width 50mm Thick 3mm Step 10mm 
GREENFIELD **BD-08322** Replaces OEM	Greenfield Anniversary 28", 30" and 32" cut 8HP, 11HP and 12HP Models. Also Fits Evolution 1, 23 & 200, 30", 32" and 34" cut models Also Fits Tractor 11.30 MKII 30" Cut Models (Includes 2 x blades & 2 x bolt, nut & washer)	Length 185mm from centre of hole Hole 14mm Width 60mm 
HONDA **BD-08003**	Stepped & fluted swing tip blade - sold as a pair Right hand cut. Suit 196, 197 & 215 **BD-08003BK** Bolt set (sold as a pair with D washer) **BD-08563** Bolt set (sold as a pair without D washer) **BD-08206** Wave washer (sold each)	Length 124mm from centre of hole Hole 16mm Width 44mm Thick 2mm Step 5mm 
BD-08279	Stepped & fluted swing tip blade - sold as a pair Right hand cut. **HIGH LIFT** Suit 216 & 217 **BD-08003BK** Bolt set (sold as a pair with D washer) **BD-08563** Bolt set (sold as a pair without D washer) **BD-08206** Wave washer (sold each)	Length 152mm from centre of hole Hole 16mm Width 50mm Thick 2mm Step 5mm 
BD-08280	Stepped & fluted swing tip blade - sold as a pair Right hand cut. **LOW LIFT** Suit 216 & 217 **BD-08003BK** Bolt set (sold as a pair with D washer) **BD-08563** Bolt set (sold as a pair without D washer) **BD-08206** Wave washer (sold each)	Length 152mm from centre of hole Hole 16mm Width 50mm Thick 2mm Step 5mm 
BD-08003BK **BD-08563**	**BD-08003BK** Bolt set WITH D washers (sold as a pair) **BD-08563** Bolt set without D washer (sold as a pair)	
AF-1332 OEM Ref: 17210-ZIV-003	Replacement air filter to fit GXV160H2 engines as fitted to HRU196, HRU216 etc - Complete with rubber seal on base and foam outer filter. Dimensions: 7 1/2" x 2-1/2" wide x 2" high	

Part Number	Description	
HONDA CONT **ASP-701** OEM Ref: 42710-VA3-K00	Standard plastic wheel / rubber tread 7 3/4" diameter to suit 1/2" axle. Complete with cap.	
ASP-702 OEM Ref: 42810-VJ9-000	Self propelled rear drive plastic wheel / rubber tread. 7 3/4" diameter. Complete with cap.	
ASP-801 OEM Ref: 44710-VK0-C80 44710-VL9-B40	New type Honda front & rear wheel 8" with bearing suit 1/2"axle. suits HRU 196 /197K1 & M1 2010 onwards front & rear & front wheels on the 216k2 , M1 & M2 2010 onwards. Check OEM part number **Tri Spoke style**	
ASP-802 OEM Ref: 42810-VJ9-B80	Self propelled rear drive plastic wheel suit new style HRU216 **Tri Spoke style**	
HOWARD **BR-78241** Replaces OEM 78241	Stepped & fluted swing tip blade - sold as each Left hand cut. Suit Series 1 Stealth, Procut & Rolla **BMA-08065** Bolt set (sold each) **BR-78241K** Blade kit (includes 12 blades & fasteners	Length 102mm from centre of hole Hole 13mm Width 50mm Thick 3mm Step 8mm 
BR-08754 **(10 pack Blades)** **BRA-08755** **(10 pack Bolts)** OEM Ref: TX16084UK10, TX32205K10	**ALTERNATIVE** for OEM Trimax Lazer blades & bolts. (Will not suit the Condor). Stepped & fluted swing tip blade - sold as a KIT Left hand cut. Suit **Series 2** Stealth, Procut & Pegasus. *(Blade Kit includes 10 blades)* MUST USE **BRA-08755 BOLT KIT** *(Bolt Kit includes 10 x bolts & lock nuts)*	Length 100mm from centre of hole Hole 20.5mm Width 50mm Thick 4mm Step 8mm 
JARRETT **BM-08921** Replaces OEM 43751	Stepped & fluted swing tip blade - sold each Left hand cut. **BSA-43752** Bolt set (sold each) (Bolt set includes 1 x bolt, nut & washer)	Length 100mm from centre of hole Hole 20.5mm Width 50mm Thick 4mm Step 8mm 
K-LINE **BS-08905** LH **BS-08906** RH	Stepped & fluted swing tip blade - sold each **BS-08905 Left Hand Blade** **BS-08906 Right Hand Blade** **BSA-43752** Bolt set (sold each)	Length 135mm from centre of hole Hole 20.5mm Width 65mm Thick 4mm Step 20mm 
MASSPORT **BD-09156K** Oem part no. 529594 , 6352 007 1000, 780658	18" deck blade and bolt kit for masport & morrison mowers: Right Hand cut fits cushion, quickcut & quadcut blade systems, rear catcher. Pair Blades & Fasteners	Length 97mm from centre of hole Hole 13mm Width 44mm 
ROVER **BD-08005K** Replaces OEM 1118	Flat & fluted swing tip blade kit Right hand cut. Suits 18" rear catcher. **Sold as a pair** (2 blades, bolts, washers & nuts)	Length 94mm from centre of hole Hole 13mm Width 38mm 

Ph: 07 3881 3464 or email: sales@asproducts.com.au


Part Number	Description	
SALIBA **BS-08579 L/H** **BS-08580 R/H**	Stepped & fluted swing tip blade - sold each BS-08579 Left hand cut. BS-08580 Right hand cut **BSA-43752** Bolt set (sold each) **BR-08423** Kit (includes 8x BS-08579, 8x BS-08580 & 16x BSA-43752)	Length 140mm from centre of hole Hole 20.5mm Width 65mm Thick 4mm Step 20mm 
SAMMUT **BM-08577 L/H** **BM-08578 R/H**	Stepped & fluted swing tip blade - sold each BM-08577 Left hand cut. BM-08578 Right Hand cut **BSA-08036** Bolt set (sold each) **BR-08422** Kit (includes 8x BM-08577, 8x BM-08578 & 16x BSA-08036)	Length 120mm from centre of hole Hole 18.5mm Width 65mm Thick 4mm Step 15mm 
SUPERIOR **BR-03693** Replaces OEM S3693	Stepped & fluted swing tip blade - sold each Left hand cut. **BRA-08088** Bolt set (sold each)	Length 197mm from centre of hole Hole 20.5mm Width 65mm Thick 5mm Step 18mm 
BR-08689	Stepped & fluted swing tip blade - sold each Right hand cut. **BRA-08088** Bolt set (sold each)	Length 197mm from centre of hole Hole 20.5mm Width 65mm Thick 5mm Step 18mm 
BR-09218	Stepped swing tip blade - sold each Double Edge, Left & Right hand cut **BRA-08088** Bolt set (sold each)	Length 197mm from centre of hole Hole 20.5mm Width 65mm Thick 5mm Step 18mm 
BR-08766 LH **BR-09219 RH**	**Left hand cut** - MULCH **BRA-08088** Bolt set (sold each) Stepped & fluted swing tip blade - sold each **Right hand cut** - MULCH **BRA-08088** Bolt set (sold each)	Length 197mm from centre of hole Hole 20.5mm Width 75mm Thick 5mm Step 18mm 
TORO **BR-09297** Replaces OEM 116-6358-03	**30" Deck** TimeMaster 20199 , 20200 , 2014 30" cut TurfMaster Walk Behind Mowers Flat Mulch Blade RH cut Requires 2 per set	Length 389mm Centre Hole 16mm (2 x Outer Holes 7.5mm) Width 64mm Thick 4mm Step 11mm  NEW
TRIMAX **BR-08754** **(10 pack Blades)** **BRA-08755 (10 pack)** OEM Ref: 411-160-842, & 411-322-050	**ALTERNATIVE** for OEM Lazer blades & bolts. Stepped & fluted swing tip blade - sold as a KIT Left hand cut. Suit **Series 2, 3 & 4** on Stealth, Procut, Pegasus, Merlin & Snake etc *(BR-08754 Blade Kit includes 10 blades)* MUST USE **BRA-08755 BOLT KIT** *(BRA-08755 Bolt Kit includes 10 x bolts & lock nuts)*	Length 100mm from centre of hole Hole 20.5mm Width 50mm Thick 4mm Step 8mm 
UNIVERSAL **BM-V100RH**	Stepped & fluted swing tip blade - sold each Right hand cut. **BMA-08062** Bolt set (sold each) (Bolt set includes 1 x bolt, nut & washer) **BM-V100RHK** Bulk kit of 60 blades & fasteners	Length 120mm from centre of hole Hole 13mm Width 65mm Thick 3mm Step 6mm 
VICTA **BD-08006K** Replaces OEM Ca09306	Flat & fluted swing tip blades & bolts - sold as a pair of blades & bolts, washers & nuts Right hand cut. Suits 18" rear catcher.	Length 98mm from centre of hole Hole 15mm Width 44mm Thick 2mm Step N/A 

TURF HARVESTER BLADES

6mm THICK SIDE PLATES WITH EXTRA DEPTH FOR LONGER CUTTING LIFE



LA PIÑA®



PART NUMBER	SIZE	APPLICATION
BTC16-8	**16 INCH**	**VAN VUUREN, BROUWER & POYNTZ**
BTC16-8-131	16 INCH	AS ABOVE - WITH 4 X 131mm FINGERS
BTC16-8F	**16 INCH**	**RYAN, KESMAC & SIMPSON**
BTC16-8F-131	16 INCH	AS ABOVE - WITH 4 X 131mm FINGERS
BTC16-8F-207	16 INCH	AS ABOVE - WITH 4 X 207mm FINGERS
BTC18-8-1	**18 INCH**	**VAN VUUREN, BROUWER & POYNTZ**
BTC18-8-1-131	18 INCH	AS ABOVE - WITH 4 X 131mm FINGERS
BTC18-8F	**18 INCH**	**RYAN, KESMAC & SIMPSON**
BTC18-8F-131	18 INCH	AS ABOVE - WITH 4 X 131mm FINGERS
BTC23-8F	**23 INCH**	**RYAN, KESMAC, BROUWER, TREBRO ETC**
BTC23-8F-131	23 INCH	AS ABOVE - WITH 5 X 131mm FINGERS
BTC23-8F-180	23 INCH	AS ABOVE - WITH 5 X 180mm FINGERS
BTC23-8F-280	23 INCH	AS ABOVE - WITH 5 X 280mm FINGERS
BTC23-8F-300	23 INCH	AS ABOVE - WITH 5 X 300mm FINGERS
BTC24-8F	**24 INCH**	**RYAN, KESMAC, BROUWER, TREBRO ETC**
BTC24-8F-180	24 INCH	AS ABOVE - WITH 5 X 180mm FINGERS
BTC24-8F-207	24 INCH	AS ABOVE - WITH 5 X 207mm FINGERS
BTC24-8F-230	24 INCH	AS ABOVE - WITH 5 X 230mm FINGERS

ASP Turf cutters are the only blades available in Australia made entirely from European Boron steel. Both side plates and bottom blades are through hardened for maximum hardness and operational life. Our blades are used by Original Equipment Sod Harvester manufacturers in Europe.

The blade cutting edge is sharpened with a double bevel to ensure the cutting edge is maintained even in difficult stony areas.

BORON STEEL TURF CUTTERS

RIDE ON MOWER BLADES




How to Measure your Blade

Length: A. Measure the blade diagonally from cutting tip to cutting tip.

Width: B. Measure the width at the widest part of the blade.

C. Measure the center hole.

D. Measure the center to center distance between the outer holes.



LA PIÑA®

ASP™

AUSTRALIA'S LARGEST BORON PARTS RANGE
PERFORMANCE
BORON
DURABILITY™

ASP ride on mower blades are manufactured in Europe from high quality Boron steel to ensure wear capabilities that at the very least meet OEM standards but generally far exceed them.

ASP mower blades are typically 50Rc hardness, high carbon alternatives are typically 40Rc. The extra hardness in ASP blades means superior wear resistance and because Boron in the steel prevents the blade becoming brittle in heat treatment, it ensures you enjoy at least 30% longer life from ASP blades.

ASP blades are without a doubt the best performing blade available for all Australian conditions.

ARIENS

Part Number	Description	
BR-09302 Replaces OEM 21546235	**54" Deck** - 3 Blade Deck (GATOR G3 95-605) Stepped & Fluted Mulch Blade RH cut. Star shape hole. 936040, 936054, 936055, 936059, 936078 ETC *(Genuine Oregon G3 Gator, not ASP Boron)*	Length 469mm Hole STAR Width 64mm Thick 5mm Step 12mm  NEW
BR-09304 Replaces OEM 00273000, 04919100	**48" Deck** - 3 Blade Deck (GATOR G6 396-716) Flat & Fluted Mulch Blade RH cut. Select models inc 715052, 715053, 715054, 715055, 788034, 788035, 788057, 788058, 792022, 792034, 888308, 915035 (1640), 915037 (1844), 915039 (2048), 915041 (2252), 915051 (1640), 988320 (HE1748FLPCE) *(Genuine Oregon G6 Gator, not ASP Boron)*	Length 413mm Hole 16mm Width 75mm Thick 6mm Step N/A  NEW

BAD BOY

Part Number	Description	
BR-08207 Replaces OEM 038-7220-00 038-7230-00	**72" Deck** - 3 Blade Deck Flat & Fluted Blade RH cut. Select models inc Outlaw & Lightning 7200, Z series & ZTR	Length 621mm Hole 16mm Width 65mm Thick 8mm Step N/A 
BR-08726 Replaces OEM 038-7220-00 038-7230-00	**72" Deck** - 3 Blade Deck Stepped & Fluted Mulch Blade RH cut. Select models inc Outlaw & Lightning 7200, Z series & ZTR	Length 621mm Hole 16mm Width 65mm Thick 7mm Step 5mm  BoronBlue™ Mulcher Blades
BR-D18037 Replaces OEM 038-3000-00	**36" Deck** - 2 Blade Deck **52" Deck** - 3 Blade Deck Flat & Fluted RH cut. Select models. Check sizes.	Length 457mm Hole 16mm Width 65mm Thick 5mm Step N/A 
BR-08891 Replaces OEM 038-3000-00	**36" Deck** - 2 Blade Deck **52" Deck** - 3 Blade Deck Flat & Fluted MULCH blade RH cut. Select models. Check sizes.	Length 457mm Hole 16mm Width 65mm Thick 6mm Step N/A 



Don't forget your Trimmer Line!

See page 82 for details



Original Equipment (OEM) Part Number & Pictures are for reference only. ASP Blades are not sold as genuine.

BIG DOG

Part Number	Description	
BR-08952 Replaces OEM 600901, 793794,793794X	**60" Deck** R series (26HP model 931535) & ZTR Series Flat & Fluted. RH cut. Requires 3 blades per set	Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A
BR-08910 Replaces OEM 794214, 794230	**60" Deck** R series (26HP model 931535) & ZTR Series Flat, Mulch. RH cut. Requires 3 blades per set	Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A BoronBlue ™ Mulcher Blades
BR-08950 Replaces OEM 601124	**54" Deck** R series 24HP model 931519 ZTR Flat & Fluted RH cut Requires 3 blades per set	Length 470mm Hole 16mm Width 65mm Thick 6mm Step N/A
BR-09131 Replaces OEM	**54" Deck** R series 24HP model 931519 ZTR Flat & Mulch RH cut Requires 3 blades per set	Length 470mm Hole 16mm Width 65mm Thick 6mm Step N/A BoronBlue ™ Mulcher Blades
BR-08407 Replaces OEM 601123	**48" Deck**. R series 22 HP models 931493 & ZTR select models Flat & High Lift Flute. Right Hand cut. Requires 3 blades per set	Length 418mm Hole 16mm Width 65mm Thick 6mm Step N/A
BR-08895 Replaces OEM 601123	**48" Deck**. R series 22 HP models 931493 & ZTR select models Flat & Mulch. Right Hand cut. Requires 3 blades per set	Length 418mm Hole 16mm Width 65mm Thick 6mm Step N/A BoronBlue ™ Mulcher Blades

BOB-CAT

Part Number	Description	
BR-D18036 Replaces OEM 112111-03 112243-03 42180B	**61" Deck.** CRZ 61, FastCat Pro, Predator Pro, Procat SE, XRZ & ZTR Stepped & Fluted RH cut Requires 3 blades per set	Length 533mm Hole 16mm Width 65mm Thick 6mm Step 6mm
BR-09304 Replaces OEM 112111-01	**48" Deck** - 3 Blade Deck - GATOR G6 396-716 Flat & Fluted Mulch Blade RH cut. Select models inc CRZ48 (942600, 942600AU, XRZ48 (942610), FastCat Pro SE (942298H with serial # 2274 and below, ZTR models *(Blade is OEM Oregon Gator, not ASP Boron)*	Length 413mm Hole 16mm Width 75mm Thick 6mm Step N/A NEW

BOB-CAT Continued

BR-D18036 Replaces OEM 112111-03, 112243-03	**42" Deck,** Stepped & Fluted RH cut Requires 2 blades per set Select models inc CRZ42 (942603, 942603EU, FastCat RZ 42 Select models & ZTR models Check dimensions.	Length 533mm Hole 16mm Width 65mm Thick 6mm Step 6mm 
BR-08891 Replaces OEM 32022, 32022a	**36" Deck** - 2 Blade Deck Flat & Fluted MULCH blade RH cut. Select models. Check sizes.	Length 457mm Hole 16mm Width 65mm Thick 6mm Step N/A  BoronBlue ™ Mulcher Blades

CRAFTSMAN



Part Number	Description	
BR-08224 Replaces OEM 134149, 138971	**42" Deck**. Flat & Fluted. Right Hand cut. Requires 2 blades per set	Length 535mm Hole 5PT Star Width 57mm Thick 4mm Step N/A 

CUB CADET



Part Number	Description	
BR-09315 Replaces OEM 742-04415, X & XG 942-04415	**60" Deck**. Stepped Blade. G3 Gator 96-300. Right Hand cut. Requires 3 blades per set 17ASDALD099 (Z8600), 17BSDALD099 (Z8200), GT1500, LT1000, SLT1500, ZHD-L60 17ANDALD897 *(Blade is Oregon Gator, not ASP Boron)*	Length 533mm Hole 19mm Width 75mm Thick 5mm Step 13mm  NEW
BR-09314 Replaces OEM 742-04416, X & 942-04416	**54" Deck**. Stepped Blade. G3 Gator 96-351. Right Hand cut. Requires 3 blades per set SL, SLT, LT1000, GT1500, RZT & Z-FORCE *(Blade is Oregon Gator, not ASP Boron)*	Length 483mm Hole 19mm Width 75mm Thick 5mm Step 15mm  NEW
BR-08963 Replaces OEM 742-04053, 742-04123	**50" Deck**. Stepped & Fluted. Right Hand cut. Requires 3 blades per set RZT models etc *(Replaces the OEM 6 point star hole)*	Length 452mm Hole 6PT Star Width 65mm Thick 5mm Step 24mm  BoronBlue ™ Mulcher Blades
BR-09313 Replaces OEM 742-04417, X & 942-04417, 02005017-X, 1005336P, 2005017	**48" Deck**. Stepped Blade. G6 Gator 392-139. Right Hand cut. Requires 3 blades per set 17ASDALB099 (Z8200), 17BSDALB099 (Z8200) *(Blade is Oregon Gator, not ASP Boron)*	Length 432mm Hole 19mm Width 75mm Thick 6mm Step 11mm  NEW
BR-115227A Replaces OEM 942-0616, 742-0616	**42" Deck**. Flat & Fluted. Mulch & Discharge Right Hand cut. Requires 2 blades per set ZTR & RZT42 *(Replaces the OEM 6 point star hole)*	Length 539mm Hole 6PT Star Width 70mm Thick 4mm Step N/A 

Ph: 07 3881 3464 or email: sales@asproducts.com.au

DIXON




Part Number	Description	
BR-09300 Replaces OEM 13926, 510417901, 532134149, 532138971, 539118038, 539119843, 539119852	**61" Deck**. Flat Blade. G5 Gator 596-900. Right Hand cut. Requires 3 blades per set To suit Selected models. Refer OEM Reference. *(Blade is Oregon Gator, not ASP Boron)*	Length 533mm Hole 5PT Star Width 75mm Thick 4mm Step N/A  NEW
BR-08210 Replaces OEM 18931, 9383, 12441	Fits Toro **60" Deck** Flat & Fluted R/H cut Requires 3 per set. Suits 8025, ZTR560 (1993), ZTR5601 (94-96), ZTR6601 (95-96) ZTR models	Length 520mm Hole 16mm Width 63mm Thick 6mm Step N/A 
BR-08910 Replaces OEM 18931, 9383, 12441	Fits Toro **60" Deck** Flat & Fluted R/H cut Requires 3 per set. Suits 8025, ZTR560 (1993), ZTR5601 (94-96), ZTR6601 (95-96) ZTR models	Length 520mm Hole 16mm Width 64mm Thick 6mm Step N/A  BoronBlue ™ Mulcher Blades
BR-09303 Replaces OEM 13867, 13918, 13943, 13944, 13945, 13947, 17279, 17280, 17281, 539119836, 539119862	**44" Deck**. Flat Blade. G3 Gator 496-399. Right Hand cut. Requires 3 blades per set To suit RAM & Selected models. Refer OEM Reference. *(Blade is Oregon Gator, not ASP Boron)*	Length 379mm Hole 17.5mm Width 63mm Thick 5mm Step N/A  NEW
BR-08956 Replaces OEM 575296401	**48" Deck** - RAM ZTR Flat & Fluted RH cut. Requires 3 blades	Length 412mm Hole 5PT Star Width 65mm Thick 5mm Step N/A 
BR-08224 Replaces OEM 532134149	**42" Deck** - SPD ZTR Flat & Fluted RH cut. Requires 2 blades	Length 535mm Hole 5PT Star Width 57mm Thick 5mm Step N/A 
BR-08957 Replaces OEM 539112078	**42" Deck** - 3 Blade Deck Flat & Fluted RH cut. Requires 3 blades	Length 372mm Hole 5PT Star Width 65mm Thick 5mm Step N/A 

Need Trimmer Heads?

ASP stocks genuine Speed Feed & Italian 'F One' Rapid Feed heads.

Refer page 83 for details.





FERRIS

Part Number	Description	
BR-08207 Replaces OEM 22476	**72" Deck**. Flat & Fluted. Right Hand cut. Requires 3 blades Selected ZTR models *(Check blade length)*	Length 621mm Hole 16mm Width 65mm Thick 8mm Step N/A 
BR-08217 Replaces OEM 155000	**72" Deck**. Stepped & Fluted. Right Hand cut. Requires 3 blades *(Check blade length)*	Length 630mm Hole 16mm Width 65mm Thick 6mm Step 6mm 
BR-D18036 Replaces OEM 1520842, A48384, 502842, 5101755	**61" Deck**. Stepped & Fluted. Right Hand cut. IS32002 Requires 3 blades per set	Length 533mm Hole 16mm Width 65mm Thick 6mm Step 6mm 
BR-09300 Replaces OEM 1520842, A48384, 502842	**61" Deck**. Flat Blade. G5 Gator 596-900. Right Hand cut. Requires 3 blades per set To suit Selected models. Refer OEM Reference. *(Blade is Oregon Gator, not ASP Boron)*	Length 533mm Hole 5PT Star Width 75mm Thick 4mm Step N/A  NEW
BR-D18037 Replaces OEM 15212275, 1521227 A48185, 51017565	**52" (3 blades) & 36" (2 blades) Deck**. Flat & Fluted. 5652852, Is2100, Is2500, F125, F150 Right Hand cut.	Length 457mm Hole 16mm Width 65mm Thick 5mm Step N/A 
BR-08891 Replaces OEM 15212275, 1521227 A48185	**52" (3 blades) & 36" (2 blades) Deck**. Flat Mulcher. Right Hand cut.	Length 457mm Hole 16mm Width 65mm Thick 6mm Step N/A  BoronBlue ™ Mulcher Blades
BR-09304 Replaces OEM 20843, 5020843, 5101986, 5103303	**48" Deck** - 3 Blade Deck (GATOR G6 396-716) Flat & Fluted Mulch Blade RH cut. Select models, F50XT, IS1500ZKAV21 & ZTR *(Genuine Oregon G6 Gator, not ASP Boron)*	Length 413mm Hole 16mm Width 75mm Thick 6mm Step N/A  NEW
BR-08407	**48" Deck**. Flat & High Lift Flute. Right Hand cut. (some models only - check length) Requires 3 blades per set	Length 418mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-08895	**48" Deck**. Flat Mulcher. Right Hand cut. (some models only - check length) Requires 3 blades per set	Length 418mm Hole 16mm Width 65mm Thick 6mm Step N/A  BoronBlue ™ Mulcher Blades

Original Equipment (OEM) Part Number & Pictures are for reference only. ASP Blades are not sold as genuine.

GRASSHOPPER

Part Number	Description	
BR-06271	**72" Deck** Stepped & Fluted RH cut Requires 3 blades per set Replaces OEM 320250	Length 639mm Hole 13mm Width 65mm Thick 6mm Step 7mm
BR-562390 Replaces OEM 320236	**52" Deck** Flat & Fluted RH cut Requires 3 blades per set	Length 456mm Hole 13mm Width 65mm Thick 5mm Step N/A

GRAVELY

Part Number	Description	
BR-08207 Replaces OEM 047685, 08983851	**72" Deck** Hi-Flow Blade Flat. RH cut. Requires 3 blades per set	Length 621mm Hole 16mm Width 65mm Thick 8mm Step N/A
BR-08726 Replaces OEM 047685, 08983851, 09838	**72" Deck** Mulcher Blade. Stepped. RH cut. Requires 3 blades per set	Length 621mm Hole 16mm Width 65mm Thick 6mm Step 6mm
BR-08952 Replaces OEM 046999, 08898900, 08979651	**60" Deck** 200-300 Series Flat & Fluted. RH cut. Requires 3 blades per set	Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A
BR-08910 Replaces OEM 046999, 08898900, 08979651	**60" Deck** 200-300 Series etc Mulcher Blade Flat. RH cut. Requires 3 blades per set	Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A BoronBlue ™ Mulcher Blades
BR-D18037 Replaces OEM	**52" Deck** Flat & Fluted RH cut Requires 3 blades per set	Length 457mm Hole 16mm Width 65mm Thick 5mm Step N/A
BR-08891 Replaces OEM	**52" Deck** Mulcher Blade Flat. RH cut. Requires 3 blades per set	Length 457mm Hole 16mm Width 65mm Thick 6mm Step N/A BoronBlue ™ Mulcher Blades

GREAT DANE



Part Number	Description	
BR-D18036 Replaces OEM GDU10232, D18036	**61" Deck** Stepped & Fluted RH cut Requires 3 blades per set ***Use blade Bolt BRA-08246***	Length 533mm Hole 16mm Width 65mm Thick 6mm Step 6mm 
BR-D18037 Replaces OEM GDU10231, D18037	**52" and 36" Deck** Flat & Fluted RH cut Requires 3 blades per set for 52" and 2 blades per set for 36".	Length 457mm Hole 16mm Width 65mm Thick 5mm Step N/A 
BR-08891 Replaces OEM GDU10231, D18037	**52" and 36" Deck** Mulcher Blade RH cut Requires 3 blades per set for 52" and 2 blades per set for 36". ***Use blade Bolt BRA-08246***	Length 457mm Hole 16mm Width 64mm Thick 6mm Step N/A  BoronBlue ™ Mulcher Blades
BR-08407 Replaces OEM GDU10230, D18086	**48" and 32" Deck** Flat & Fluted RH cut Requires 3 blades per set for 48" and 2 blades per set for 32". ***Use blade Bolt BRA-08246***	Length 418mm Hole 16mm Width 64mm Thick 6mm Step 6mm 
BR-08895 Replaces OEM GDU10230, D18086	**48" and 32" Deck** Razorback Mulcher Blade RH cut Requires 3 blades per set for 48" and 2 blades per set for 32". ***Use blade Bolt BRA-08246***	Length 418mm Hole 16mm Width 64mm Thick 6mm Step N/A  BoronBlue ™ Mulcher Blades

HUSQVARNA





Part Number	Description	
BR-09300 Replaces OEM 138498, 138791, 138971, 510417901, 521981601, 531307224, 532131323, 53213897, 539113312	**61" Deck**. Flat Blade. G5 Gator 596-900. Right Hand cut. Requires 3 blades per set Ez6124, MZ61, MZ460X, Z560, MZ6128 577240401, 586230101, 917127843, 917131323, 917138489MS, 917532138498 *(Blade is Oregon Gator, not ASP Boron)*	Length 533mm Hole 5Pt Star Width 75mm Thick 4mm Step N/A  NEW
BR-D18036 Replaces OEM 53910293, 539101733	**61" Deck** Stepped & Fluted RH cut ZTH6123KAA, WHF5218ETS Requires 3 blades per set	Length 533mm Hole 16mm Width 65mm Thick 6mm Step 6mm 
BR-D18037 Replaces OEM 5391057-12, 5391003-41, AYP100341	**52" Deck & 36" Deck** Flat & Fluted RH cut Requires 3 blades per set for 52" and 2 blades per set for 36"	Length 457mm Hole 16mm Width 65mm Thick 5mm Step N/A 



Part Number	HUSQVARNA Continued	
BR-08891 Replaces OEM 5391057-12, AYP100341	**52" Deck & 36" Deck** Mulcher Blade RH cut, Requires 3 blades per set for 52" and 2 blades per set for 36"	Length 457mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-09306 Replaces OEM 574870801, 575240701	**52" Deck** Flat Blade. G5 Gator 596-900. Right Hand cut. Requires 3 blades per set To suit Selected models. Refer OEM Reference. *(Blade is Oregon Gator, not ASP Boron)*	Length 451mm Hole 5PT Star Width 75mm Thick 4mm Step N/A 
BR-08956 Replaces OEM 539 11 34-25	**48" Fabricated Decks** YTH2648TDF, ZTR & EZ4824 MODELS Flat & Fluted RH cut Requires 3 blades per set.	Length 413mm Hole 5PT Star Width 64mm Thick 5mm Step N/A 
BR-08407 Replaces OEM 539 10 60-40, AYP100340	**48" Decks** Iz4821 & ZTR models Flat & Fluted RH cut Requires 3 blades per set.	Length 418mm Hole 16mm Width 64mm Thick 6mm Step N/A 
BR-08895 Replaces OEM 539 10 60-40, AYP100340	**48" Decks** IZ4821 & ZTR models Flat Mulch RH cut Requires 3 blades per set.	Length 418mm Hole 16mm Width 64mm Thick 6mm Step N/A 
BR-09319 Replaces OEM 173920, 180054, 917173920, 917532173920, 917532180054, 954633774	**48" Decks** Flat Blade. G3 Gator 96-615 Requires 3 blades per set. 512258301, 532173920, 532180054, 539107519, 575938201, 575938301, 577146201 etc *(Blade is Oregon Gator, not ASP Boron)*	Length 424mm Hole 5 PT Star Width 64mm Thick 5mm Step N/A 

OEM Reference numbers are used for identification only, we also encourage you to check blade dimensions prior to ordering. ASP blades are not sold as genuine.

BR-09301 Replaces OEM 532405380, 594892801	**46" Deck**. Step Blade Oregon 195-070. Right Hand cut. Requires 2 blades per set To suit Selected models. Refer OEM Reference. *405380, 532405380, 575937901, 777405380,* *917532405380, 917777405380* *(Blade is Oregon, not ASP Boron)*	Length 581mm Hole 5PT Star Width 70mm Thick 4mm Step 8mm 
BR-09300 Replaces OEM 539113312	**42" Deck**. Flat Blade. G5 Gator 596-900. Right Hand cut. Requires 2 blades per set To suit Selected models. Refer OEM Reference. *(Blade is Oregon Gator, not ASP Boron)*	Length 533mm Hole 5PT Star Width 75mm Thick 4mm Step N/A 
BR-08224 Replaces OEM 532138498, AYP138498, 127843, AYP138971	Fits Husqvarna **42" Decks** Lt125, Lt140, Lt150, LTH1342, XTH1542XP Models Flat & Fluted RH cut Requires 2 blades per set.	Length 535mm Hole 5PT Star Width 57mm Thick 4mm Step N/A 

Part Number	HUSQVARNA Continued	
BR-09305 Replaces OEM 539112078, 573953001, 577146101	**42" Decks** Flat Blade. G3 Gator 95-088 Requires 3 blades per set. Ez4216, Ez4217, Ez4220 & Fabricated decks Flat & Fluted RH cut *(Blade is Oregon Gator, not ASP Boron)*	Length 371mm Hole 5PT Star Width 64mm Thick 5mm Step N/A  NEW
BR-08957 Replaces OEM 5391120-78	Fits Husqvarna **42" Decks** Ez4216, Ez4217, Ez4220 & Fabricated decks Flat & Fluted RH cut Requires 3 blades per set.	Length 371mm Hole 5PT Star Width 65mm Thick 5mm Step N/A 
BR-09318 Replaces OEM 513897001, 531307220, 531307221, 532127842, 532131322, 532134148	Fits **38" Deck** Flat Blade. G3 Gator 95-601 Lt19538 etc 581116302, 777193957, 917127842, 917131322, 917134148MS, 917134148X, 917139774MS, 917532134148, 917532138497, 917532138970, 917532139774, 917532193957 *(Blade is Oregon Gator, not ASP Boron)*	Length 489mm Hole 5PT Star Width 64mm Thick 5mm Step N/A  NEW
Part Number	**HUSTLER** **Description**	
BR-09243K 5 BLADE KIT	Fits **SUPER 104** 1 x BR-08954 RH cut wing blade 1 x BR-08955 LH cut wing blade 2 x BR-08952 RH centre deck blades 1 x BR-08953 LH centre deck blades	
BR-08207 Replaces OEM 798702, 9820361	Fits **72" Deck** Flat & High Fluted RH cut, Side Discharge Xr7 series, Super Z HD & 3700 series Requires 3 blades per set Use BRA-08948 Bolt & BRA-08949 Washer	Length 621mm Hole 16mm Width 65mm Thick 8mm Step N/A 
BR-08726 Replaces OEM 798702, 9820361	Fits **72" Deck** Stepped Mulcher RH cut Xr7 series & 3700 series Requires 3 blades per set Use BRA-08948 Bolt & BRA-08949 Washer	Length 621mm Hole 16mm Width 65mm Thick 7mm Step 5mm  BoronBlue ™ Mulcher Blades
BR-08954 Replaces OEM 796839, 794867, 784728	Fits **REAR DISCHARGE 72" Deck** Flat & Fluted RIGHT HAND cut *(Requires 2 x BR-08954 RIGHT HAND & 1x BR-08955 LEFT HAND)* Use BRA-08948 Bolt & BRA-08949 Washer	Length 606mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-08955 Replaces OEM 796508, 601929	Fits **REAR DISCHARGE 72" Deck** Flat & Fluted LEFT HAND cut *(Requires 2 x BR-08954 RIGHT HAND & 1x BR-08955 LEFT HAND)* Use BRA-08948 Bolt & BRA-08949 Washer	Length 606mm Hole 16mm Width 65mm Thick 6mm Step N/A 

ALL BLADES ARE SOLD AS SINGLES (INDIVIDUALLY) PLEASE ORDER THE QUANTITY REQUIRED TO MAKE UP A SET.

Part Number	HUSTLER Continued	
BR-08952 Replaces OEM 602771, 794685, 793794	Fits **60" Deck** Side Discharge Flat & Fluted Blade RH cut Suits VX4, X-One, Fastrak, Sport etc Requires 3 blades per set Use BRA-08948 Bolt & BRA-08949 Washer	Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-08910 Replaces OEM 794230, 794214	Fits **60" Deck** Flat Mulcher Blade RH cut Suits VX4, X-One, Fastrak, Sport etc Requires 3 blades per set Use BRA-08948 Bolt & BRA-08949 Washer	Length 520mm Hole 16mm Width 64mm Thick 6mm Step N/A 
BR-08953 Replaces OEM 795633, 601928	Fits **60" REAR DISCHARGE** Deck Flat & Fluted Blade LEFT HAND cut *Requires 2 x (BR-08952) RIGHT HAND &* *1 x (BR-08953) LEFT HAND*	Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-08950 Replaces OEM 797696, 797704, 601012	Fits **54" Deck** Side Discharge Flat & Fluted RH cut Xr7 series, Fastrak, Sport, X-One VX4 etc Requires 3 blades per set	Length 470mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-09131 Replaces OEM	Fits **54" Deck** Side Discharge - MULCH Flat & Fluted RH cut Xr7 series, Fastrak, Sport, X-One VX4 etc Requires 3 blades per set	Length 470mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-08951 Replaces OEM 601013	Fits **54"** REAR DISCHARGE Deck Flat & Fluted Blade LEFT HAND cut Requires 2 x (BR-08950) RIGHT HAND & 1 x (BR-08951) LEFT HAND	Length 470mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-D18037 Replaces OEM 783753, 785436	Fits **52" Deck** Flat & Fluted RH cut Fastrak, Mini Z etc Requires 3 blades per set	Length 457mm Hole 16mm Width 65mm Thick 5mm Step N/A 
BR-08891 Replaces OEM 783753, 785436	Fits **52" Deck** Flat Mulcher RH cut Fastrak, Mini Z etc Requires 3 blades per set	Length 457mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-08407 Replaces OEM 601123, 797757	Fits **48" Deck** Flat & High Fluted Blade RH cut Suits Vx4, X-One, Fastrak, Super Duty etc Requires 3 blades per set	Length 418mm Hole 16mm Width 64mm Thick 6mm Step N/A 
BR-08895 Replaces OEM 796623, 796631	Fits **48" Deck** Flat Mulcher Blade RH cut Suits Vx4, X-One, Fastrak, Super Duty etc Requires 3 blades per set	Length 418mm Hole 16mm Width 64mm Thick 6mm Step N/A 

Part Number	HUSTLER Continued	
BR-09307 Replaces OEM 785728, 787739	Fits **44" Deck** G3 Gator 96-302 Flat Mulcher Blade R/H cut Suits Various, check OEM Ref number Requires 3 blades *(Blade is Oregon Gator, not ASP Boron)*	Length 397mm Hole 16mm Width 70mm Thick 5mm Step N/A  NEW
BR-08952 Replaces OEM	Fits **42" Deck** Flat & Fluted Blade R/H cut Suits Fastrak, Raptor & Zeon series Requires 2 blades	Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A 
BR-08910 Replaces OEM	Fits **42" Deck** Flat Mulcher Blade R/H cut Suits Fastrak, Raptor & Zeon series Requires 2 blades	Length 520mm Hole 16mm Width 65mm Thick 6mm Step N/A  BoronBlue ™ Mulcher Blades
Part Number	**ISEKI** **Description**	
BR-07162A Replaces OEM 3496107M91, 3495550M4	Fits **72" Deck** Stepped & Fluted RH cut Sf300 Series etc Requires 3 blades per set Use BRA-83665A washer & BRA-100293 Nut	Length 628mm Hole 20mm Width 60mm Thick 7mm Step 15mm 
BR-0525A Replaces OEM 797696, 797704, 601012	Fits **60" Deck** Stepped & Fluted RH cut Sf300 Series etc Requires 3 blades per set Use BRA-83665A washer & BRA-100293 Nut	Length 527mm Hole 20mm Width 60mm Thick 7mm Step 15mm 
BB-08040 Replaces OEM 865520201301	BELT to suit **72" Deck** Suits SF300 & Sf340 (Will not suit other models)	

ALL BLADES ARE SOLD AS SINGLES (INDIVIDUALLY) PLEASE ORDER THE QUANTITY REQUIRED TO MAKE UP A SET.

OEM Reference numbers are used for identification only, we also encourage you to check blade dimensions prior to ordering.

ASP blades are not sold as genuine.

JOHN DEERE



Part Number	Description	
BR-07473 Replaces OEM M119565, M80783, AM102401	Fits John Deere **72" Deck** 1145 series Flat & Fluted Blade Requires 3 per set *Use Bolt BRA-100195, Washer BRA-83665.*	Length 632mm Hole 23mm Width 65mm Thick 8mm Step N/A 
BR-07473S Replaces OEM M141786, M141669, M83363, EPC201693	Fits John Deere **72" Deck Standard Lift Blade** 1445, 1545, 1565, 1585,777, 797, 4200, 4500 series, 997 Diesel & 1580 Terrain, Stepped and Fluted. Requires 3 per set. *Use Bolt BRA-100195SH,* *Use Tension Washer BRA-83665.*	Length 630mm Hole 23mm Width 60mm Thick 8mm Step 10mm 
BR-08772 Replaces OEM TCU15882, M141669, M143749	Fits John Deere **72" Deck** 1435, 1565, 1585, Z830A, 997, 1445, Z950A, Z950M, Z950R, Z960M, Z970R, Z970A, Z960A Stepped, **High Lift Blade** Requires 3 Per Set. *Bolt BRA-100195SH, Washer BRA-83665.*	Length 630mm Hole 23mm Width 75mm Thick 7mm Step 12mm 
BR-08466 Replaces OEM M142514	Fits John Deere **72" Decks** Stepped Mulcher Blade Requires 3 Per Set. *Use Bolt BRA-100195SH,* *Use Tension Washer BRA-83665.*	Length 634mm Hole 23mm Width 65mm Thick 8mm Step 7mm 
BR-09019 Replaces OEM M141786, M141669, M83363, EPC201693	Mulcher style to Fit side discharge **72" decks** on 1445, 1545, 1565, 1585, 777, 797, 4200, 4500 series, 997 Diesel & Terrain Requires 3 per set. Step & Fluted. *Use Bolt BRA-100195SH,* *Use Tension Washer BRA-83665.*	Length 630mm Hole 23mm Width 65mm Thick 8mm Step 10mm  BoronBlue ™ Mulcher Blades
BR-08560 Replaces OEM TCU51118, M144297	Fits **62" Deck**, 7 Iron Deck & 1600 Wide area mower, 1400-1500 Series & Terrain. 1600 series 3 Turbo. Stepped and Fluted Blade. *Use Bolt BRA-100195SH,* *Use Tension Washer BRA-83665.*	Length 555mm Hole 23mm Width 65mm Thick 8mm Step 8mm 
BR-06253 Replaces OEM M141785, M87622	Fit's John Deere **60" Deck** F1145 Flat & Fluted Blade Requires 3 blades per Set	Length 521mm Hole 23mm Width 65mm Thick 8mm Step N/A 
BR-128485 Replaces OEM TCU15881, M128485, M133381	Fits **60" Deck** - Stepped & Fluted Z950A, M665, F620, F680, F687, 737, 757, 777, 797 Diesel, 1420, 1435, 1445, 1545, X700, 1565, 4210, 4310, 4410,Z830A, Z720A, Z960A, Z830, 840, 850, Z860, Z970R, Z997, Z994R, Z915E, Z920 - Z960M, ZTRAC & Terrain - Requires 3 blades per set	Length 531mm Hole 23mm Width 65mm Thick 8mm Step 10mm  *Bolt BRA-100195SH, Washer BRA-83665.*
BR-128485M Replaces OEM TCU15881, M128485, M133381	Fits **60" Deck** - MULCH Stepped & Fluted Z950A, M665, F620, F680, F687, 737, 757, 777, 797 Diesel, 1420, 1435, 1445, 1545, X700, 1565, 4210, 4310, 4410,Z830A, Z720A, Z960A, Z830, 840, 850, Z860, Z970R, Z997, Z994R, Z915E, Z920 - Z960M, ZTRAC & Terrain - Requires 3 blades per set	Length 531mm Hole 23mm Width 65mm Thick 8mm Step 10mm  BoronBlue ™ Mulcher Blades

Part Number	JOHN DEERE Continued	
BR-08470 Replaces OEM M136195, TCU30316, M144652, TCU30317 M164016	**54" Deck** Stepped & Fluted Blade X700, 737, Z820A, Z830A, Z920, Z710A, Z915B, Z925, Z915E, Z920M, Z930M, Z930R Requires 3 Per Set. BRA-100195SH Bolt & BRA-83665 Washer	Length 483mm Hole 23mm Width 65mm Thick 5mm Step 7mm 
BR-09310 Replaces OEM M136195, TCU30316, M144652, TCU30317 M164016	**54" Deck**. G6 Gator 396-769 Stepped & Fluted Blade X700, 737, Z820A, Z830A, Z920, Z710A, Z915B, Z925 Requires 3 Per Set. *(Blade is Oregon Gator, not ASP Boron)*	Length 483mm Hole 23mm Width 75mm Thick 6mm Step 10mm  NEW
BR-08962 Replaces OEM M143520, M145516	**54" Deck** Z425, X320, X380, Z540, X748, 737, Z820A, EZ Trac, GX & X570, X580, X584, X590 Z & LX series 1025 Stepped & Fluted Blade. Requires 3 Per Set.	Length 480mm Hole 20mm Width 65mm Thick 6mm Step 10mm 
BR-09309 Replaces OEM M143520, M145516, M152726, UC22010	**54" Deck**. G6 Gator 396-769 Z425, X320, X380, Z540, X748, 737, Z820A, EZ Trac, GX & X570, X580, X584, X590 Z & LX series 1025 Requires 3 Per Set. Stepped & Fluted Blade *(Blade is Oregon Gator, not ASP Boron)*	Length 481mm Hole 20mm Width 75mm Thick 6mm Step 12mm  NEW
BR-330365 Replaces OEM M115496, M113518	**54" Deck** Stepped & Fluted, Right hand cut Suits F700 series etc Requires 3 blades per set	Length 473mm Hole 21mm Width 65mm Thick 5mm Step 7mm 
BR-127500 Replaces OEM M145476, M127500	**48" & 48C & ACCEL Decks** Lx277, LX279, LX280, LX289, GT245, GT235E, GX325, GX335, X355, X380, 465, 475, 485, 495, 575, LT180, X700, 700, 720, 724, 728, Z425, Z445, X324, X320, X590 Requires 3 blades per set	Length 430mm Hole 21mm Width 65mm Thick 5mm Step 7mm 
BR-08701 Replaces OEM, M136185, TCU21475, TCU14939, M136194, TCU30315	**48" Deck** F620, F680, Z510A, Z645, Z710A, Z810A, Z820A, Z910A, Z915E, Z920M, 17H17B & Zg18 Walk Behinds Stepped Hi Lift Blade Right Hand cut. Requires 3 blades per set BRA-100195SH Bolt, BRA-83665 Washer	Length 430mm Hole 23mm Width 65mm Thick 6mm Step 17mm 
BR-09298 Am137757, AM137758, AM141035, AM141036, GX21784, GX21785, Gx21786, Gy20852	**48" Deck**. G3 Gator 92-616 Stepped & Fluted. Requires 3 blades per set. 145 155C LA130 LA140 LA145 LA155 LA165 Lawn Tractors, D140 D150 D155 D160 E140 E150 E160 E170 100 Series Tractors X140 X165 X166 Select Series Tractors Z245 Z255 Z355E Ztrak *(Blade is Oregon Gator, not ASP Boron)*	Length 432mm Hole 7 Pt Star Width 63mm Thick 5mm Step 6mm  NEW
BR-08756 Replaces OEM Gx22151, Gy20850 Am137329	**42" Deck** "Starlock blade" D110, Z225, LA100, LA105, LA110, LA115, LA120, LA125, LA135, X110, X120, X300, D110, D130, S240 Sport, E100, E120,E130, Mulch & Discharge Blade Right Hand cut Requires 2 blades per set.	Length 543mm Hole 7 Pt Star Width 65mm Thick 4.5mm Step N/A 
BR-20249 Replaces OEM Gx20249, GX20433	**42" Deck** Sabre, L100, L108, L110, L111, Mulch Blade Right Hand cut Flat & Fluted Requires 2 blades per set	Length 545mm (11mm outer holes @ 95mm) Hole 17mm Width 65mm Thick 5mm Step N/A 

Ph: 07 3881 3464 or email: sales@asproducts.com.au

Part Number	JOHN DEERE Continued	
BR-09183 Replaces OEM M170639	**42" ACCEL Deck** X300, X354, X370, Z335 & Z345 Mulch & Discharge Blade Right Hand cut Requires 2 blades per set.	Length 543mm Hole 20mm Width 65mm Thick 4.5mm Step N/A 
BR-330397 Replaces OEM M83459, AM100991	**38" Deck** High Lift Lt150, STX38, F525 Stepped & Fluted Blade Right Hand cut Requires 2 blades per set	Length 494mm Hole 18mm Width 75mm Thick 5mm Step 5mm 
BR-330290 Replaces OEM M82408, M84472, AM100946	**38" Deck** Low Lift LX170, LX180, LT150, LX255, LX288, LX176, LX172, LX188, X300 LX Stepped & Fluted Blade Right Hand cut Requires 2 blades per set.	Length 494mm Hole 18mm Width 65mm Thick 5mm Step 5mm 
BR-09308 Replaces OEM Am104652, M112974, M112991, M118958, M74449, M82408, M84472	**38" Deck**. G6 Gator 396-709 Stepped & Mulch Blade LX170, LX180, LT150, LX255, LX288, LX176, LX172, Lx188 Requires 2 Per Set. *(Blade is Oregon Gator, not ASP Boron)*	Length 495mm Hole 18mm Width 75mm Thick 6mm Step 10mm  NEW
BB-08040 Replaces OEM M112414, B144	72" John Deere Side Discharge Deck Belt F1145 Model (will not suit later models)	

Don’t forget your Trimmer Line, Edger Blades & Litter Tools!



Refer page 81 onwards for details.







KUBOTA



Part Number	Description	
BR-08826 Replaces OEM K5677-34340, 70000-25002, 76553-34330, 76550-34350	Fits Kubota **72" Deck** , High Flow Deck, Stepped & High Fluted, Right hand cut RCK72-28Z(P), RCK72-27B, 30B, RC72-38, RC72-F30, RCK72P-331Z, RCK72P-F36, ZD28, ZD29, 2560, 3060, 3560, F3690, ZD331 Requires 3 blades per set	Length 622mm Hole 29mm Width 75mm Thick 7mm Step 15mm  ***Use BRA-K6845 Bolt & BRA-K6846 Washer***
BR-07462 Replaces OEM K5677-34340,70000-25002, 76553-34330, 76550-34350, 76539-34372, K5698-34340	Fits Kubota **72" Deck**- Standard blade Stepped & Fluted, Right hand cut, RCK72RP-1200Z, RCK72-28Z(P), RCK72-27B, 30B, RC72-38, RC72-F30, RCK72P-331Z, RCK72P-F36, ZD28, ZD29, 2560, 3060, 3560, F3690, Zd331. Requires 3 blades per set	Length 622mm Hole 29mm Width 65mm Thick 7mm Step 14mm  ***Use BRA-K6845 Bolt & BRA-K6846 Washer***
BR-08703 Replaces OEM K5677-34340,70000-25002, 76553-34330, 76550-34350, 76539-34372, K5677-9234	Fits Kubota **72" Deck** Stepped Mulching Blade for all models with 29mm Holes Stepped & Fluted Blade RH cut Requires 3 blades per set BoronBlue ™ Mulcher Blades	Length 622mm Hole 29mm Width 65mm Thick 7mm Step 14mm  ***Use BRA-K6845 Bolt & BRA-K6846 Washer***
BR-07129 Replaces OEM 76550-34373, 70722-34350, 70000-25007	Fits Kubota **72" Deck** Stepped & Fluted, Right hand cut RCK72-25, RC72-28, RC72-29, 29A, RC72-36, 36A, RC-72F20, F24, RC72R-F36B, F2400, 3560. Requires 3 blades per set.	Length 620mm Hole 23mm Width 60mm Thick 7mm Step 12mm 
BR-09085 Replaces OEM K5975-3436	Fits Kubota **72" Deck** ZD1200 series deck, ZD1221, RCK72P-1200Z Hi Lift blade Requires 3 blades per set ***Use BRA-K6845 Bolt & BRA-09118 Washer***	Length 622mm **Hole 34mm** Width 75mm Thick 7mm Step 15mm 
BR-09077 Replaces OEM K5975-3436	Fits Kubota **72" Deck** ZD1200 series deck ZD1221, RCK72P-1200Z Standard blade Requires 3 blades per set ***Use BRA-K6845 Bolt & BRA-09118 Washer***	Length 622mm **Hole 34mm** Width 65mm Thick 7mm Step 14mm 
BR-09079 Replaces OEM	Fits Kubota **72" Deck** ZD1200 series deck ZD1221, RCK72P-1200Z Mulch blade Requires 3 blades per set ***Use BRA-K6845 Bolt & BRA-09118 Washer***	Length 622mm **Hole 34mm** Width 65mm Thick 7mm Step 14mm  BoronBlue ™ Mulcher Blades
BR-06677 Replaces OEM K5651-34340, 76539-34330, 70000-25001, K5647-34330, 76539-34372, 76550-34350, K5645-34340, K5651-34330	Fits Kubota **60" Decks** ZD21, ZD28, ZD331, ZG327, ZG331, ZG326P, RCK60-28Z, RCK60-29B, RCK60-30B, RCK60-F30, RCK60P-21Z, RCK60P-327Z, RCK60-F36, RC60-21B, RC60-24B, RC60-71B, RC60-F19, RC60-FZ21,F3690 RCK60-24B, RCK60-27B. Requires 3 Blades	Length 520mm Hole 29mm Width 65mm Thick 7mm Step 14mm  ***Use BRA-K6845 Bolt & BRA-K6846 Washer***
BR-09020 Replaces OEM K5651-34340, 76539-34330, 70000-25001, K5647-34330, 76539-34372, 76550-34350	Mulch blade alternative to BR-06677 Fits Kubota **60" Decks** ZD21, ZD28, ZD331,ZG327, ZG331, ZG326P, RCK60-28Z, RCK60-29B, RCK60-24B, RCK60-27B. Requires 3 Blades BoronBlue ™ Mulcher Blades	Length 520mm Hole 29mm Width 65mm Thick 7mm Step 14mm  ***Use BRA-K6845 Bolt & BRA-K6846 Washer***

Ph: 07 3881 3464 or email: sales@asproducts.com.au

Part Number		
BR-09078 Replaces OEM K5955-34360	Fits Kubota **60" Deck** ZD1200 Decks Requires 3 Blades	Length 520mm Hole 34mm Width 65mm Thick 7mm Step 14mm 
BR-01588 Replaces OEM 70722-34330, 70000-25006,	Fits Kubota, **60" Deck** RC60-71H, RC60-72A, 72H, 82H, 20. Flat Blade Right Hand cut Requires 3 blades per set.	Length 517mm Hole 18mm Width 50mm Thick 6mm Step N/A 
BR-06020 Replaces OEM 76543-99050, 70000-25008, 70722-34350 K5371-99040	Fits Kubota **60" Deck** F2100, B7510, BX2660, F2400, BX22, BX1830, G2160, G2460G, RC60-92H, 20, F20, F24 Stepped & Fluted, Right Hand cut Requires 3 blades per set.	Length 517mm Hole 23mm Width 65mm Thick 6mm Step 7mm 
BR-06676 Replaces OEM 76529-34330, K5764-34342, 76539-34372, 76550-34350, K5613-34340	Fits **54" Deck** Zd331, ZD321, RC54-G20, RC54-B, RC54-F19, FZ21, ZD18, G1900. Z421 Stepped & Fluted, Right Hand cut Requires 3 blades per set.	Length 473mm Hole 29mm Width 65mm Thick 6mm Step 10mm 
BR-06676-23 Replaces OEM K5351-34330, K5351-34342	Fits **54" Deck** Bx2230, BX23, G2160, G2460, BX22, BX2700, RCK54-22BX, BX1800 Stepped & Fluted, Right Hand cut Requires 3 blades per set.	Length 475mm Hole 23mm Width 65mm Thick 6mm Step 10mm 
BR-08940 Replaces OEM K5619-34350 K5935-34360 K5351-99040	Fits Kubota **54" Deck** RCK54P-227Z etc. ZD221, ZG223, ZG227, Zd1011, ZD321N, RCK54P-321Z etc Stepped Blade Right Hand cut Requires 3 blades per set. ***Use BRA-09120 Bolt & BRA-09119 Washer***	Length 473mm Hole 23mm Width 65mm Thick 6mm Step 10mm 
BR-09012 Replaces OEM K5617-34330, K5617-97530	**54" Deck** Zg127, Z125, Z251BR, Z251KH, RCK54-23ZG, RCK54P-127ZA, Z100 series Stepped & Fluted, Right Hand cut Requires 3 blades per set.	Length 473mm Hole 18mm Width 65mm Thick 6mm Step 10mm 
BR-01132 Replaces OEM 76500-34330, 70722-343374	**48" Deck** RC48G, RC48-62A, 62H, G20 Stepped & Fluted, Right Hand cut Requires 3 blades per set.	Length 420mm Hole 18mm Width 50mm Thick 5mm Step 22mm 
BR-06673 Replaces OEM 76505-34330, 70722-34374, 70000-25005, K5182-71820	**48" Deck** TG1860, G1800, G1900, BX2350, RC48G, RC48-62G, 62H Stepped & Fluted Blade Right Hand cut Requires 3 blades per set	Length 420mm Hole 18mm Width 50mm Thick 5mm Step 8mm 
BR-09312 Replaces OEM K5575-34330, K5575-97530, K5579-92330, K5579-92332	**48" Deck**. G6 Gator 392-047 Stepped & Mulch Blade. Requires 3 Per Set. TG1860, G1800, G1900, BX2350, RC48G, RC48-62G, 62H, RCK48-20ZG , RCK48GR , RCK48P-124Z, RCK48P18BX, RCK48S-222Z, RCK48S-222Z (ZG20), Zg2048, *(Blade is Oregon Gator, not ASP Boron)*	Length 420mm Hole 18mm Width 75mm Thick 6mm Step 12mm  NEW

Part Number	KUBOTA Continued	
BR-09259 Replaces OEM K5583-34340	**48" Deck** Stepped & Fluted Hi Lift Blade Right Hand cut Z411, Z723, RCK48P-400Z, RCK48p-723Z Requires 3 blades per set	Length 422mm Hole 29mm Width 65mm Thick 7mm Step 17mm  NEW
BR-08890 Replaces OEM K5576-34350	**48" Deck** Hi Lift ZG222, ZD221, Pro Deck, RCK48P-222Z Stepped & Hi Lift Blade Right Hand cut Requires 3 blades per set ***Use BRA-09120 Bolt & BRA-09119 Washer***	Length 422mm Hole 23mm Width 65mm Thick 7mm Step 17mm 
BR-09311 Replaces OEM K5184-97532, K5576-34340, K5576-34350, K5576-97530, K5915-34360, K5915-97530	**48" Deck**. G5 Gator 592-124 Stepped & Mulch Blade. Requires 3 Per Set. ZG222, ZD221, Pro Deck, RCK48P-222Z *(Blade is Oregon Gator, not ASP Boron)*	Length 422mm Hole 23mm Width 75mm Thick 6mm Step 16mm  NEW
BR-09115 Replaces OEM K5575-34330, K5182-71840, K5575-97530, K5579-34350	**48" Deck** Z100 series, T2290, Zg2048 etc RCK48-GR, RCK48-20ZG, RCK48-18BX, RCK48-222Z, RCK48P-124Z, Z231BR & KH Stepped & Fluted Blade Right Hand cut Requires 3 blades per set	Length 422mm Hole 18mm Width 65mm Thick 7mm Step 17mm 
BR-01133 Replaces OEM K5142-71820, 70712-34330	Fits Kubota **44" Deck**, RC44G, RCK44LT Stepped & Fluted Blade Right Hand cut Requires 3 blades per set.	Length 385mm Hole 18mm Width 50mm Thick 5mm Step 10mm 
BR-09230 Replaces OEM K5559-3433 K5700-34375 Bolt K5112-71333 Washer	**42" Deck** Z122R, Z231KW, RCK42P-122Z Stepped & Fluted Blade Right Hand cut Requires 2 blades per set	Length 546mm Hole 18mm Width 65mm Thick 6mm Step 11mm  NEW
BR-01560 Replaces OEM 70000-25010, K5112-71920	Fits Kubota **40 Deck** RC40LT, T1400H, T1460, T1560, T1700H Stepped & Fluted Blade Right Hand cut Requires 2 per set.	Length 517mm Hole 18mm Width 65mm Thick 6mm Step 10mm 
BRA-K6845 **&** **BRA-K6846**	BRA-K6845 Bolt suit some Blades with 29mm hole Replaces OEM 76539-34372, K5651-34372 BRA-K6846 Washer suit various Replaces OEM 76550-34350 & K5651-34350	
BRA-09120 **&** **BRA-09119**	BRA-09120 Bolt suit some Blades Replaces OEM K5371-34372 BRA-09119 Washer suit various Replaces OEM K5371-34352	

MASSEY FERGUSON

Part Number	Description	
BR-07162A	**72" Deck** Zt29, ZT33 Stepped & Fluted Blade RH cut Requires 3 per set	Length 628mm Hole 20mm Width 60mm Thick 7mm Step 15mm 
BR-0525A Replaces OEM	**60" Deck** ZT29, ZT33 Stepped & Fluted Blade RH cut Requires 3 per set	Length 527mm Hole 20mm Width 60mm Thick 7mm Step 15mm 
BR-08963 Replaces OEM	**50" Deck**. ZTR Stepped & Fluted. Right Hand cut. Requires 3 blades per set *(Replaces the OEM 6 point star hole)*	Length 452mm Hole Suits the 6Pt Star Width 65mm Thick 5mm Step 24mm 
BR-115227A Replaces OEM	**42" Deck** MF42-20SD Mulcher Blade & Side Discharge Right Hand cut Requires 2 per set. *(Replaces the OEM 6 point star hole)*	Length 539mm Hole Suits the 6Pt star Width 70mm Thick 4mm Step N/A 
BR-115225A Replaces OEM	**38" Deck** MF38-15SD Mulcher Blade & Side Discharge Right Hand cut Requires 2 per set. *(Replaces the OEM 6 point star hole)*	Length 491mm Hole Suits the 6Pt star Width 70mm Thick 4mm Step N/A 

MEAN GREEN

Part Number	Description	
		

COMING SOON

Talk to one of our sales team regarding the model & deck size you have.

Any other Electric Ride on mower you need blades for?

Let us know!

MTD



Part Number	Description	
BR-08963 Replaces OEM 742-04053A, 942-04053B	**50" Deck**. 2004 on Deep Deck Stepped & Fluted. Right Hand cut. Requires 3 blades per set *(Replaces the OEM 6 point star hole)*	Length 452mm Hole Suits the 6Pt Star Width 65mm Thick 5mm Step 24mm 
BR-115227A Replaces OEM 742-0616, 942-0616	**42" Deck** Mulcher Blade & Side Discharge Right Hand cut Requires 2 per set. *(Replaces the OEM 6 point star hole)*	Length 539mm Hole Suits the 6Pt star Width 70mm Thick 4mm Step N/A 
BR-115225A Replaces OEM 742-0610, 942-0610	**38" Deck** Mulcher Blade & Side Discharge Right Hand cut Requires 2 per set. *(Replaces the OEM 6 point star hole)*	Length 491mm Hole Suits the 6Pt star Width 70mm Thick 4mm Step N/A 

NEW HOLLAND



Part Number	Description	
BR-07473	**72" Deck** Flat Fluted Right Hand cut Requires 3 blades per set Replaces OEM: AUB163380, 163442	Length 632mm Hole 23mm Width 65mm Thick 8mm Step N/A 
BR-09019 Replaces OEM AUB163380, 163442	**72" Deck** Stepped Mulcher Right Hand cut Requires 3 blades per set	Length 632mm Hole 23mm Width 60mm Thick 8mm Step 10mm 
BR-07473S Replaces OEM AUB163380, 163442	**72" Deck** Stepped & Fluted Right Hand cut Requires 3 blades per set	Length 632mm Hole 23mm Width 60mm Thick 8mm Step 10mm 
BR-01588 Replaces OEM 162836	**60" Deck** Flat Fluted Right Hand cut Requires 3 blades per set	Length 516mm Hole 18mm Width 50mm Thick 6mm Step N/A 
BR-01560 Replaces OEM 162122, 914, 914A	**60" Deck** Fm60, CM224, CM274 Stepped & Fluted RH cut Requires 3 blades per set **"Early Deck"**	Length 517mm Hole 18mm Width 65mm Thick 6mm Step 10mm 

Part Number	NEW HOLLAND Continued	
BR-06020 Replaces OEM 162122, 914, 914A	**60" Deck** Fm60, CM224, CM274 Stepped & Fluted Right Hand cut Requires 3 blades per set. **"Late Deck"**	Length 517mm Hole 23mm Width 65mm Thick 6mm Step 10mm 
BR-06677 Replaces OEM SBA645310330	**60" deck,** 230GM, TZ25DA Stepped & Fluted Right Hand cut Requires 3 blades per set	Length 520mm Hole 29mm Width 65mm Thick 7mm Step 14mm 
BR-09020 Replaces OEM	Mulch blade alternative to BR-06677 Requires 3 Blades	Length 520mm Hole 29mm Width 65mm Thick 7mm Step 14mm  BoronBlue ™ Mulcher Blades
Part Number	**SCAG** **Description**	
BR-08207 Replaces OEM 481709, 48112, 48113	**72" Deck** Flat & Fluted Blade Right Hand cut Requires 3 blades per set.	Length 621mm Hole 16mm Width 65mm Thick 8mm Step N/A 
BR-08311 Replaces OEM 482879, 48111, 481708	**61" Deck** Stepped & Fluted Blade Right Hand cut Requires 3 blades per set.	Length 536mm Hole 16mm Width 65mm Thick 6mm Step 6mm 
BR-D18037 Replaces OEM 48108, 481707, 482462	**52" and 36" Decks** Flat & Fluted Blade Right Hand cut Requires 3 per set for 52" and 2 per set for 36"	Length 457mm Hole 16mm Width 65mm Thick 5mm Step N/A 
BR-08891 Replaces OEM 48108, 481707, 482462	**52" and 36" Decks** Razorback Mulcher Blade Right Hand cut Requires 3 per set for 52" and 2 per set for 36"	Length 457mm Hole 16mm Width 65mm Thick 5mm Step 4mm  BoronBlue ™ Mulcher Blades
BR-08407 Replaces OEM 48110, 48084, 481706	**48" and 32" Decks** Stepped & Fluted Blade Right Hand cut Requires 3 per set for 48" and 2 per set for 32"	Length 418mm Hole 16mm Width 65mm Thick 6mm Step N/A 

ALL BLADES ARE SOLD AS SINGLES (INDIVIDUALLY) PLEASE ORDER THE QUANTITY REQUIRED TO MAKE UP A SET.



OEM Reference numbers are used for identification only, we also encourage you to check blade dimensions prior to ordering.
ASP blades are not sold as genuine.

SHIBAURA



Part Number	Description	
BR-07129 Replaces OEM	**72" Deck** Stepped & Fluted Blade Right Hand cut Requires 3 Blades per set.	Length 620mm Hole 23mm Width 60mm Thick 7mm Step 12mm 
BR-06677 Replaces OEM SBA645310221	**60" Deck** TMM60Y, ST321, ST325 Flat & Fluted Blade Right Hand cut Requires 3 Blades per set.	Length 520mm Hole 29mm Width 65mm Thick 7mm Step 14mm 
BR-01588 Replaces OEM	**60" Deck** SX24 Stepped & Fluted Blade Right Hand cut Requires 3 Blades per set.	Length 518mm Hole 18mm Width 50mm Thick 6mm Step N/A 
BR-06676 Replaces OEM	**54" Deck** SX21 Stepped & Fluted Blade Right Hand cut Requires 3 Blades per set.	Length 473mm Hole 29mm Width 65mm Thick 6mm Step 10mm 

SUPERIOR

Part Number	Description	
BR-07503 Replaces OEM S1611, S3690	**12' Trimdeck** Contractor Stepped & Fluted LH cut Requires 3 per set Use BOLT KIT BRA-08067 (inc. 2 x bolts & nuts)	Length 791mm (14mm x 134mm outer holes) Hole 17.5mm Width 75mm Thick 8mm Step 20mm 
BR-07500 Replaces OEM S1631	**6' Outfront** Stepped & Fluted Blade LH cut Requires 3 per set Use BOLT KIT BRA-08066 (inc. 2 x bolts & nuts)	Length 632mm (11mm x 104mm outer holes) Hole 17mm Width 75mm Thick 8mm Step 20mm 
BR-07502 Replaces OEM S1508	**5' Trim Deck** Stepped & Fluted Blade LH cut Requires 3 per set. Use BOLT KIT BRA-08066 (inc. 2 x bolts & nuts)	Length 510mm (10mm x 104mm outer holes) Hole 16mm Width 65mm Thick 6mm Step 16mm 

ASP™



AUSTRALIA'S LARGEST BORON PARTS RANGE
PERFORMANCE
BORON
DURABILITY™

TORO



Part Number	Description	
BR-09317 Replaces OEM 100-5754-03, 104-5183, 105-4089, 105-4089-03, 105-9810, 105-9810-03, 105-9810-05, 107-0235-03, 108-9026-03	**4700-D, 4500-D & 3500-D WIDE AREA MOWERS**. G3 Gator 96-741 Stepped & Mulch Blade. 30807, 30809, 30849, 30881, 30882 Use BRA-09276 Anti Scalp Plate (OEM Ref 72-9361) *(Blade is Oregon Gator, not ASP Boron)*	Length 685mm Hole 13mm Width 64mm Thick 6mm Step 11mm NEW
BR-08834 Replaces OEM 110-5946	Fits Toro **16'** Groundsmaster 5900/5910 Stepped & Fluted Blade RH cut Requires 11 per set. Use Blade Bolt BRA-08806, Washer BRA-08809	Length 504mm Hole 13mm Width 65mm Thick 6mm Step 15mm
BR-09122 Replaces OEM 110-5948	MULCH Toro **16'** Groundsmaster 5900/5910 Stepped & Fluted Blade RH cut Requires 11 per set. Use Blade Bolt BRA-08806, Washer BRA-08809	Length 504mm Hole 13mm Width 65mm Thick 6mm Step 15mm BoronBlue ™ Mulcher Blades
BR-09163 Replaces OEM 130-9151	Fits Toro **16'** Groundsmaster **NEW** model 5900/5910, 31699 Stepped & Fluted Blade RH cut Requires 11 per set. Use BRA-09278 Anti Scalp Plate Use Blade Bolt BRA-08806, Washer BRA-08809	Length 504mm Hole 13mm Width 65mm Thick 6mm Step **6mm**
BR-08695 Replaces OEM 92-5608, 107-0214	Fits Toro **132" & 62" Decks** 4000D & 4010 Model 30410 requires 7 per set. Also **62" Rear Discharge** 7200 / 7210 & 62" Recycler, requires 3 blades Use BRA-09278 Anti Scalp Plate Use Blade Bolt BRA-08806, Washer BRA-08809	Length 552mm Hole 13mm Width 65mm Thick 6mm Step 15mm
BR-08695NF Replaces OEM 110-6115-03	Fits Toro **132" & 62" Deck - NO FLUTE BLADE** 4000D & 4010 Model 30410 requires 7 per set. Also **62" Rear Discharge** 7200 / 7210 & 62" Recycler, requires 3 blades Use BRA-09278 Anti Scalp Plate Use Blade Bolt BRA-08806, Washer BRA-08809	Length 552mm Hole 13mm Width 65mm Thick 6mm Step 15mm
BR-09121 Replaces OEM 92-5608, 107-0214	MULCH blade Fits Toro **132" & 62" DECKS** 4000D & 4010 Model 30410 requires 7 per set. Also **62" Rear Discharge** 7200 / 7210 & 62" Recycler, requires 3 blades Use BRA-09278 Anti Scalp Plate Use Blade Bolt BRA-08806, Washer BRA-08809	Length 552mm Hole 13mm Width 65mm Thick 6mm Step 15mm BoronBlue ™ Mulcher Blades
BR-08552 Replaces OEM 106-7166, 86-0010, 63-0080, 110-6116	Fits Toro **124" & 126" Decks**. 455D, 4100D, 4100. Requires 7 per set. Model 30411 - 4100D Also suits 88" Triflex Requires 5 per set. Stepped & Fluted Use Blade Bolt BRA-08806, Washer BRA-08809	Length 480mm Hole 13mm Width 65mm Thick 6mm Step 6mm
BR-09277 Replaces OEM 140-1246	Fits Toro **96" DECKS** 7500-D Model 72098 MULCH blade. Requires 4 per set.	Length 621mm Hole 24mm Width 65mm Thick 6mm Step 6mm NEW BoronBlue ™ Mulcher Blades

Part Number	TORO Continued	
BR-08207 Replaces OEM 105-7711, 105-7784	**72" Deck Side Discharge** Z Master 74947, 74274, Z550-5970, Z550, Z558, Z589, Z597, 5000, 6000 & 7000 series 74918 & G3 with Holder. High Flow Blade RH cut Requires 3 per set. Flat & Fluted. Use Blade Bolt BRA-08808, Washer BRA-08807	Length 621mm Hole 16mm Width 64mm Thick 8mm Step N/A 
BR-08726 Replaces OEM 105-7784	**72" Deck** Z Master Z550-5970, Z550, Z558, Z589, Z597, G3 Mulcher Blade RH cut requires 3 per set. Use Blade Bolt BRA-08808, Washer BRA-08807	Length 621mm Hole 16mm Width 64mm Thick 7mm Step 6mm 
BR-08720 Replaces OEM 110-0622, 110-0621	**72" Deck Side Discharge** Groundsmaster 7200 / 7210 Models & GM360, 30360, 30361, 30362, 30363, 30364, 30365. High Lift Heavy Duty Blade Flat, RH cut Requires 3 per set.	Length 620mm Hole 13mm Width 64mm Thick 8mm Step N/A 
BR-08727 Replaces OEM 110-0622, 140-4852, 110-0624	**72" Deck** Groundsmaster 7200 / 7210 Models & GM360, 30360, 30361, 3300 30362, 30363, 30364, 30365. Stepped Mulcher Blade RH cut Requires 3 per set.	Length 620mm Hole 13mm Width 64mm Thick 7mm Step 6mm 
BR-09237 Replaces OEM 140-1238 Blade	**72" Deck** High Flow Blade RH cut 6000 series 72968, 72947, 7000 series 72274 & 7500D series 72076 requires 3 per set. Flat & Fluted. Use Blade Bolt BRA-08806, Washer BRA-08809	Length 620mm Hole 24mm Width 64mm Thick 6mm Step N/A 
BR-08515 Replaces OEM 110-0621	**72" Deck** Groundsmaster 3280 & 3320 Side Discharge. Model 3320, 30368 Stepped & Fluted Blade RH cut. Requires 3 per set. Use Blade Bolt BRA-08806, Washer BRA-08809	Length 618mm Hole 13mm Width 65mm Thick 6mm Step 6mm 
BR-06271 Replaces OEM 93-4982, 108-1958, 85-6040 121-5347, 125-9444	**72" Deck** - **Rear Discharge** Groundsmaster / Z Master, Guardian Recycler, 217D, 220D, 957D, 3320, 3280 Z597 & 7200 , Gm360. Use **BRA-09278** Anti Scalp Plate Stepped & Fluted Blade RH cut 3 per set Use Bolt BRA-08806, Washer BRA-08809	Length 639mm Hole 13mm Width 65mm Thick 6mm Step 6mm 
BR-06271NF Replaces OEM 112-9586-03	**72" Deck** - **Rear Discharge, NO FLUTE** Groundsmaster / Z Master, Guardian Recycler, 217D, 220D, 957D, 3320, 3280 Z597 & 7200 , Gm360. Stepped & Fluted Blade RH cut 3 per set. Use **BRA-09278** Anti Scalp Plate. Use Bolt BRA-08806, Washer BRA-08809	Length 639mm Hole 13mm Width 65mm Thick 6mm Step 6mm 
BR-06251 Replaces OEM 44-6250	**62" Deck** Groundsmaster Z Master 220D, & 228D Side Discharge. Stepped & Fluted Blade RH cut requires 3 per set. Use Bolt BRA-08806, Washer BRA-08809	Length 545mm Hole 13mm Width 65mm Thick 6mm Step 6mm 
BR-08210 Replaces OEM 105-7715, 105-7718, 105-7716, 103-0301, 133-2127, 115-9649	**60" Deck** 74958, 74950, 74955, 74945, 75318TA Z500, 74246-Z557, G3, Z587L, Z588E, Z597 &Z593, Z528, 5000, 6000 & 7000 series 74915 & 74930, Z558 with holder. Titan Zx6050 & HD2000 Flat & Fluted R/H cut Requires 3 per set. Use Blade Bolt BRA-08808, Washer BRA-08807	Length 520mm Hole 16mm Width 63mm Thick 6mm Step N/A 

Part Number		
BR-08910 Replaces OEM 105-7715, 105-7718, 105-7716, 103-0301, 105-7777	**60" Deck** Mulcher Z500, 74246-Z557, G3, Z587L, Z588E, Z597 &Z593, Z528, Z558 with holder. Requires 3 per set. Use Blade Bolt BRA-08808, Washer BRA-08807	Length 520mm Hole 16mm Width 63mm Thick 6mm Step N/A  BoronBlue ™ Mulcher Blades
BR-08516 Replaces OEM 110-4701 110-4702 High 110-4703 Mulch	**60" Deck** Groundsmaster 3280 & 3320, 7200 / 7210 Flat & Fluted Blade RH cut Requires 3 per set	Length 520mm Hole 13mm Width 63mm Thick 6mm Step 
BR-09220 Replaces OEM	**60" Deck** Mulcher Groundsmaster 3280 & 3320, 7200 / 7210 Flat & Fluted Blade RH cut Requires 3 per set	Length 520mm Hole 13mm Width 63mm Thick 6mm Step N/A  BoronBlue ™ Mulcher Blades
BR-09235 Replaces OEM 140-1240 Blade 109-9220 Bolt / Washer	**60" Deck** Flat & Fluted R/H cut 3000 series 72950, 72936 6000 series 72960, 72967, 72946 7000 series 72267 Use Blade Bolt BRA-08806, Washer BRA-08809 Requires 3 per set	Length 520mm Hole 24mm Width 63mm Thick 6mm Step N/A 
BR-09240 Replaces OEM 140-1241 Blade 109-9220 Bolt / Washer	**60" Deck REAR DISCHARGE**, Right Hand cut - requires 2 & 1 x BR-09241 Left hand 5000 series 72943 7500D 72028 Use Blade Bolt BRA-08806, Washer BRA-08809	Length 520mm Hole 24mm Width 63mm Thick 6mm Step N/A  BoronBlue ™ Mulcher Blades
BR-09241 Replaces OEM 140-1244 109-9220 Bolt / Washer	**60" Deck REAR DISCHARGE** Deck Flat & Fluted Blade Left Hand cut, use with 2 x BR-09240 blades BRA-08806 Blade Bolt BRA-08809 Washer	Length 520mm Hole 24mm Width 65mm Thick 6mm Step N/A 
BR-09242 Replaces OEM 115-9650 Blade	**54" Deck** Side Discharge Time Cutter & Titan, 75212, 75312TA Flat & Fluted RH cut Requires 3 blades per set	Length 475mm Hole 16mm Width 65mm Thick 5mm Step N/A 
BR-09299 Replaces OEM 539112078, 573953001, 577146101	**54" Decks** Flat Blade. G3 Gator 96-803 Time Cutter & Titan, 75212, 75312TA Flat & Fluted RH cut *(Blade is Oregon Gator, not ASP Boron)*	Length 475mm Hole 16mm Width 65mm Thick 5mm Step N/A  NEW
BR-562390 Replaces OEM 56-2390, 27-0990	**52" & 36" Decks** Groundsmaster Z153, Z149 & Walk Behinds. Flat & Fluted Blade RH cut Requires 3 per set for 52", 2 per set for 36".	Length 456mm Hole 13mm Width 65mm Thick 5mm Step N/A 
BR-09234 *Replaces OEM* *140-1242 Blade* 109-9220 Bolt / Washer	**52" Deck** - 3000 & 7000, 72949 & 72266 Flat & Fluted Blade RH cut Requires 3 per set, Use Blade Bolt BRA-08806, Washer BRA-08809 &	Length 457mm Hole 24mm Width 63mm Thick 6mm Step N/A 

Part Number	TORO Continued	
BR-09245 Replaces OEM 140-4859 Blade 109-9220 Bolt / Washer	**52" Deck** - 3000 & 7000, 72949 & 72266 Flat & Fluted Blade RH cut Requires 3 per set, Use Blade Bolt BRA-08806, Washer BRA-08809	Length 457mm Hole 24mm Width 63mm Thick 6mm Step N/A 
BR-D18037 Replaces OEM 106-2174, 105-7781, 55-4210, 40-3760, 108-1117, 105- 7779, 133-2134	**52" Deck** - Time Cutter 74806, 74906, 74955, ZX525, Z593D 453 Model & GM117. 74505, 74466, 74906, 74949, 3000 & 5000 7 Titan Flat & Fluted Blade RH cut Requires 3 per set, Use BRA-08938 Bolt & BRA-08807 washer	Length 457mm Hole 16mm Width 65mm Thick 5mm Step N/A 
BR-08891 Replaces OEM 106-2174, 105-7781, 105-7779, 110-0409	**52" Deck** Time Cutter 74806, ZX525, TITAN Z593D 453 Model & Gm117. Mulcher Blade RH cut Requires 3 per set, Use BRA-08938 Bolt & BRA-08807 washer	Length 457mm Hole 16mm Width 63mm Thick 6mm Step N/A 
BR-08980 Replaces OEM 110-6837 115-5059 140-5134	**50" Deck, 3 Blades & 34" Deck, 2 Blades** MX5050 & MX 3450 Timecutter Z5000 SERIES 74370 & 75730TA Flat & Fluted Blade RH cut	Length 445mm Hole 16mm Width 60mm Thick 6mm Step 3mm 
BR-09233 Replaces OEM 140-1243 Blade 109-9220 Bolt / Washer	**48" Deck** 3000 series, 72952. 4000, 74000 & Grandstand Flat & Fluted Blade RH cut Requires 3 per set. Use Blade Bolt BRA-08806, Washer BRA-08809	Length 418mm Hole 24mm Width 63mm Thick 6mm Step N/A 
BR-09246 Replaces OEM 140-1243 Blade 109-9220 Bolt / Washer	**48" Deck** Mulch 3000 series, 72952. 4000, 74000 & Grandstand Flat Mulch Blade RH cut Requires 3 per set. Use Blade Bolt BRA-08806, Washer BRA-08809	Length 418mm Hole 24mm Width 63mm Thick 6mm Step N/A 
BR-08407 Replaces OEM 107-3192, 107-3193 107-3194, 133-2137, 117-7277	**48" Deck** Titan HD 2000 series, Z master etc 74412-Z400, & 74417 Z450, 3000 G3 Z Master. ZX4820, Zx4800 Flat & Fluted Blade RH cut Requires 3 per set. Use Blade Bolt BRA-08808, Washer BRA-08807	Length 418mm Hole 16mm Width 63mm Thick 6mm Step N/A 
BR-08895 Replaces OEM 107-3192, 107-3193 107-3194	**48" Deck** 74412-Z400, & 74417 Z450, Zx4800 & ZX4820, 3000, G3 Z Master Mulcher Blade Requires 3 per set. Use Blade Bolt BRA-08808, Washer BRA-08807	Length 418mm Hole 16mm Width 63mm Thick 6mm Step N/A 

Don't forget your Trimmer Line!

See page 82 for details





Part Number	TORO Continued	
BR-08546 LH Replaces OEM 130-2860 **BR-08547 RH** Replaces OEM 130.2859	**48" Deck** 8000 Series, H800 & Navigator Stepped & Fluted Require: 1 x BR-08546 & 1 x BR-08547 For Catcher	Length 640mm (7.5mm holes @ 76mm centres) Hole 23mm Width 60mm Thick 5mm Step 20mm NEW 
BR-08463 Replaces OEM 106-2247, 106-8744 131-3939-03 (High Lift)	**42" Deck** Mx4260, Z4220, Time Cutter 74403-Z420, 74403-16-42Z, Z4200 Flat & Fluted Blade RH cut Requires 2 per set	Length 548mm Hole 16mm Width 60mm Thick 5mm Step 12mm 
BR-08504 LH Replaces OEM 130-2861 **BR-08505 RH** Replaces OEM 130-2862	**42" Deck** 8000 Series, H800 & Navigator Stepped & Fluted Require: 1 x BR-08504 & 1 x BR-08505 For Catcher	Length 560mm (7.5mm holes @ 76mm centres) Hole 23mm Width 60mm Thick 5mm Step 20mm NEW 
BR-09297 Replaces OEM 116-6358-03	**30" Deck** TimeMaster 20199 , 20200 , 2014 30" cut TurfMaster Walk Behind Mowers Flat Mulch Blade RH cut Requires 2 per set	Length 389mm Centre Hole 16mm (2 x Outer Holes 7.5mm) Width 64mm Thick 4mm Step 11mm NEW 
Part Number	**VENTRAC** **Description**	
BR-09015 Replaces OEM 79.0048	Suits Ventrac Mower Tough Cut Flat, Double edge blade LH & RH cut	Length 584mm Hole 13mm Width 65mm Thick 8mm Step N/A 
Part Number	**WALKER** **Description**	
BR-08222 LH Replaces OEM 7705-2 **BR-08223 RH** Replaces OEM 7705-1	**48" Deck** 08222 LEFT Hand & 08223 RIGHT Hand, Stepped & Fluted LH cut Require: 1 x BR-08223 & 1 x BR-08222 For GHS *Use BRA-08239 Shear bolt & BRA-08240 nut*	Length 640mm (5.5mm holes @ 76mm centres) Hole 16mm Width 60mm Thick 5mm Step 20mm 
BR-355032 LH Replaces OEM 5705-4 **BR-355024 RH** Replaces OEM 5705-3	**42" Deck** 355032 LEFT Hand & 355024 RIGHT Hand. Stepped & Fluted LH cut Require 1 x BR-355032 & 1 x BR-355024 for GHS *Use BRA-08239 Shear bolt & BRA-08240 nut*	Length 560mm (5.5mm holes @ 76mm centres) Hole 16mm Width 60mm Thick 5mm Step 20mm 

ASP Components



LENGTH IS MEASURED TIP TO TIP


LENGTH	HOLE	STEP	WIDTH	THICK	PART NUMBER
372	5PT STAR	0	65	5	BR-08957
379	18	0	63	5	BR-09303
385	18	10	50	5	BR-01133
389	16	11	64	4	BR-09297
397	16	0	70	5	BR-09307
412	5PT STAR	0	65	5	BR-08956
413	16	0	75	6	BR-09304
418	16	0	65	6	BR-08407
418	16	0	65	7	BR-08895
420	18	22	50	5	BR-01132
420	18	10	65	6	BR-09312
422	29	17	65	7	BR-09259
422	23	16	75	6	BR-09311
422	18	17	65	7	BR-09115
422	18	8	65	5	BR-06673
422	23	17	65	7	BR-08890
424	5PT STAR	0	64	5	BR-09319
430	21	7	65	5	BR-127500
430	23	17	65	6	BR-08701
432	7PT STAR	6	63	5	BR-09298
432	19	11	75	6	BR-09313
452	6PT STAR	24	65	5	BR-08963
445	16	3	60	6	BR-08980
451	5PT STAR	0	75	4	BR-09306
456	13	0	65	5	BR-562390
457	16	0	65	5	BR-D18037
457	16	0	65	6	BR-08891
457	24	0	63	6	BR-09234
469	5PT STAR	12	64	5	BR-09302
470	16	0	65	6	BR-08951
470	23	10	65	6	BR-08940
472	29	10	65	6	BR-06676
473	21	7	65	5	BR-330365
473	23	10	65	6	BR-06676-23
473	18	10	65	6	BR-09012
475	16	0	65	5	BR-09242
480	20	10	65	6	BR-08962
480	13	6	65	6	BR-08552
481	20	12	75	6	BR-09309
483	23	7	65	5	BR-08470
483	23	10	75	6	BR-09310
483	19	15	75	5	BR-09314
489	5PT STAR	0	65	5	BR-08957
494	18	7	75	5	BR-330397
494	18	7	65	5	BR-330290
495	18	10	75	6	BR-09308
504	13	15	65	6	BR-08834
504	13	6	65	6	BR-09163
510	16	16	65	6	BR-07502
517	18	0	50	6	BR-01588
517	23	7	65	6	BR-06020
517	18	10	65	6	BR-01560
518	13	6	65	6	BR-08516
520	16	0	65	6	BR-08952
520	16	0	65	7	BR-08910
520	34	14	65	7	BR-09078
520	29	14	65	7	BR-06677
520	16	0	63	6	BR-08210
520	24	0	63	6	BR-09235
521	23	0	65	6	BR-06253
527	20	15	60	7	BR-0525A
532	16	6	65	6	BR-D18036
533	19	13	75	5	BR-09315
533	5PT STAR	0	75	4	BR-09300
533	23	10	65	8	BR-128485
535	5PT STAR	0	57	4	BR-08224
536	16	6	65	6	BR-08311
539	6PT STAR	0	70	4	BR-115227A
543	20	0	65	4.5	BR-09183
543	7PT STAR	0	65	4	BR-08756
545	17	0	65	5	BR-20249
546	18	11	65	6	BR-09230
548	16	0	60	5	BR-08463
550	13	15	65	6	BR-08695
550	13	15	65	6	BR-08695NF
555	23	8	65	8	BR-08560
560	23	20	60	6	BR-08546
560	23	20	60	6	BR-08547
560	16	20	60	5	BR-355024
560	16	20	60	5	BR-355032
581	5PT STAR	8	70	4	BR-09301
606	16	0	65	6	BR-08954
618	13	6	65	6	BR-08515
620	24	0	64	6	BR-09237
621	24	6	65	6	BR-09277
620	13	0	63	8	BR-08720
620	13	10	65	6	BR-08727
620	23	12	60	7	BR-07129
621	16	10	65	6	BR-08726
621	16	0	65	8	BR-08207
621	16	10	65	6	BR-08726
622	34	14	65	7	BR-09077
622	29	15	75	7	BR-08826
622	29	14	65	7	BR-07462
622	29	14	65	7	BR-08703
622	34	15	75	7	BR-09085
628	20	15	60	7	BR-07162A
630	16	6	65	6	BR-08217
630	23	10	60	8	BR-07473S
632	23	0	65	8	BR-07473
632	17	20	75	8	BR-07500
634	23	15	75	7	BR-08772
634	23	7	65	8	BR-08466
639	13	6	65	7	BR-06271
639	13	6	65	6	BR-06271NF
640	23	23	60	6	BR-08504
640	23	23	60	6	BR-08505
640	16	23	60	6	BR-08222
640	16	23	60	6	BR-08223
685	13	11	64	6	BR-09317
791	17.5	20	75	8	BR-07503

AUSTRALIA'S LARGEST BORON PARTS RANGE
PERFORMANCE
BORON
DURABILITY

EDGER BLADES


Part Number	Description	
BM-802310	Edger blade. OEM Ref L129 Suits Little Wonder, Kawasaki, MTD, Masport, Toro etc. Blades are 250mm long, 45mm wide, 3mm thick and have a 13mm hole.	
BM-802720	Edger blade. OEM Ref ME63222G Suits Victa etc. Blades are 250mm long, 50mm wide, 3mm thick and have a 16mm hole.	
BM-09137	Edger blade. Suits Various. Blades are 300mm long, 50mm wide, 3mm thick and have a 16mm hole.	
BM-08908	Edger blade. Suits Ryobi, Shindaiwa, Stihl etc. Blades are 195mm long, 50mm wide, 3mm thick and have a 25mm hole.	

BM-08565 Edger blade to suit Atom edgers. OEM Ref 43105
One piece heavy duty steel blade.
2.5mm thick steel
265mm long x 12mm hole x 45mm wide



BM-08326 Edger blade to suit Atom edgers.
OEM Ref 43105
One piece extra heavy duty BORON steel blade.
3mm thick steel
265mm long x 12mm hole x 45mm wide

AUSTRALIA'S LARGEST BORON PARTS RANGE
PERFORMANCE
BORON
DURABILITY



ASP-1069 Gyral Edger Disc. OEM Ref T1679
Disc's are 13" diameter, 52mm round centre hole with 5 X 7mm radial holes at 94mm PCD.
27mm Dish Depth.
BORON steel.



LIGHTNING TRIMMER LINE

Professional Grade trimmer line for ultimate performance & durability!

ASP heavy duty 'Lightning Line' is the perfect choice for commercial operators, offering resistance to fraying, welding & breakage. Delivering efficient cuts at affordable pricing.



ASP Components™

Available in 1lb, 3lb & 5lb rolls
2.4mm, 2.7mm, 3.0mm, 3.3mm & 4.0mm
Made in the USA

ROUND

BM-826 2.0mm 1lb 90mtr
BM-813 2.4mm 1lb 80mtr
BM-814 2.7mm 1lb 70mtr
BM-815 3.0mm 1lb 54mtr
BM-816 2.4mm 3lb 256mtr
BM-817 2.7mm 3lb 210mtr
BM-818 3.0mm 3lb 163mtr
BM-819 2.4mm 5lb 427mtr
BM-820 2.7mm 5lb 350mtr
BM-821 3.0mm 5lb 272mtr
BM-822 3.3mm 5lb 269mtr
BM-860 4.0mm 5lb 150mtr

DIAMOND

BM-834 2.4mm 1lb 70mtr
BM-835 2.7mm 1lb 66mtr
BM-836 3.0mm 1lb 54mtr
BM-837 2.4mm 3lb 241mtr
BM-838 2.7mm 3lb 198mtr
BM-839 3.0mm 3lb 163mtr
BM-840 2.4mm 5lb 401mtr
BM-841 2.7mm 5lb 329mtr
BM-842 3.0mm 5lb 273mtr
BM-843 3.3mm 5lb 240mtr
BM-862 4.0mm 5lb 140mtr

www.asproducts.com.au

F-ONE SERIES BUMP FEED HEADS

Made in Italy


- INNOVATIVE "LINE SHIELDER"

Stops the line from breaking at the eyelets, therefore preventing it from going back inside the head, assuring a continuous job without interruption.



- RC SYSTEM: EASY RETOOLING

Simply line up the arrow with the eyelet, then thread the line through the head, making sure that both lengths are equal on either side. Just by twisting the head the line is wound onto the spool. It's very easy, no need to take the head apart!



PART NUMBER	HEAD COMPLETE WITH ARBOUR
BM-08897	F-ONE HEAD WITH 8 x 1.25MLH
BM-08898	F-ONE HEAD WITH 10 x 1.25MLH
BM-08899	F-ONE HEAD WITH 8 x 1.25FLH
BM-08900	F-ONE HEAD WITH 10 x 1.00FLH
BM-08901	F-ONE HEAD WITH 10 x 1.25FLH



LINE NEVER BREAKS AT THE EYELET!



UNIVERSAL BUMP FEED HEADS

SPEED FEED 400
Genuine Speed-Feed
Premium Quality. Made in USA



BM-08900SF

- Loads in 30 seconds
- Rugged semi-matic head for medium to h/duty applications
- Inner wall reduces amount of dirt inside head
- Large, durable eyelets enhance line life
- Line tensioning system with split spool reduces vibration
- Holds 10 feet of .095" line (Max line size 2.7mm)

Fits: Most straight shaft brushcutters.
Diameter: 3 3/4", 95.25mm

BM-08900SF-B
REPLACEMENT COVER

Kit Consists of:
- 1 x M10 x 1.25 LHF
- 1 x M10 x 1.00 LHF
- 1 x M8 x 1.25 LHF
- 1 x Stud 8mm x 1.25 LHM
- 1 x Stud 7mm x 1.00 LHM

SPEED FEED 450
Genuine Speed-Feed
Premium Quality. Made in USA



BM-09280SF

- Loads in 30 seconds
- Rugged semi-matic head for medium to h/duty applications
- Inner wall reduces amount of dirt inside head
- Large, durable eyelets enhance line life
- Line tensioning system with split spool reduces vibration
- Holds 20 feet of .095" line (Max line size 2.7mm)

Fits: Most straight shaft brushcutters.
Diameter: 4 1/2", 114.3 mm

BM-09280SF-B
REPLACEMENT COVER

Kit Consists of:
- 1 x M10 x 1.25 LHF
- 1 x M10 x 1.25 LHF
- 1 x Stud 8mm x 1.25 LHM
- 1 x Stud 7mm x 1.00 LHM
- 1 x M10 x 1.00mm LHF

TRIMMER HEADS & LITTER TOOLS

BM-08091 Manual Feed Trimmer Head

BM-08091 SEMI-AUTOMATIC TRIMMER HEAD. The BM-08091 represents a new generation of manual heads. (There's no need to loosen the knob to lengthen the line). Made in Italy.
Please specify which arbour you require when ordering. (suits Straight Shaft only).

Refer to application list over the page for correct arbour size.





Part #	Size
BM-102480	8 x 1.25 FEMALE LEFT HAND (COMES IN HEAD)
BM-102481	10 x 1.00 FEMALE LEFT HAND
BM-102482	10 x 1.00 FEMALE LEFT HAND - (STIHL MODELS)
BM-102483	10 x 1.25 FEMALE LEFT HAND
BM-102489	8 x 1.25 MALE LEFT HAND
BM-102490	10 x 1.25 MALE LEFT HAND
BM-102487	12 x 1.75 FEMALE LEFT HAND



BM-08019

TANAKA STYLE ALLOY
TRIMMER HEAD.
The BM-08019 head is a universal multi fit head which mounts the same as you would a cutting blade.
2 outlets. 14mm hole.
Ref: CH-100



BM-08027

TANAKA STYLE ALLOY
TRIMMER HEAD.
The BM-08027 head is a universal multi fit head which mounts the same as you would a cutting blade.
Spool type head with 4 outlets.
25mm hole.
Ref: CH-300



33" (84cm) & 40"(100cm) long, large jaw style Litter Picker.

33" (84cm) Industrial-quality, durable, lightweight, versatile pick-up tool, made with a sturdy aluminum shaft, and high impact plastic handle.
Pick up a coin or a 2 litre bottle.
Widest Jaw opening on the market.

BM-08848 84cm long
BM-08849 100cm long



32" (80cm) & 40"(100cm) long, rubber suction style Litter Picker.

Lightweight aluminum shaft, high impact plastic handle, rubber cups that can pick up a coin or a brick. Heavy duty, durable and lightweight.



BM-08462 80cm long
BM-08499 100cm long

BM-08711 Replacement Grip Rubber Cups (sold as a pair)

QUALITY AT COMPETITIVE PRICES!

ASP supply quality wear resistant parts at extremely competitive prices. All our products come with a 3 month Replacement Parts Warranty (refer to inside of back page for conditions) and are backed by a $20m Product Liability Insurance.

ASP ships Australia wide with fast & reliable freight companies and pass on our excellent freight rates to you. All items are despatched from our Brisbane warehouse and stocked items leave the same day they are ordered (if order is received prior to 2pm).

Call 07 3881 3464 Fax 07 3881 3474 or email sales@asproducts.com.au

ARBOUR APPLICATION CHART

BRUSHCUTTER MAKE & MODEL	ARBOUR SIZE		BRUSHCUTTER MAKE & MODEL	ARBOUR SIZE
CRAFTSMAN (MSAA)			**HONDA**	
KAWASAKI 2400, 2410	8 x 1.25mm LHF		UMK422, UMK425, UMK435	10x 1.25mm LHF
KIORITZ 206F	8 x 1.25mm LHF			
MITSUBISHI 1600, 1605, 1810	8 x 1.25mm LHF		**HUSQVARNA**	
636-79534C, 218151-2816	10 x 1.25mm LHF		16R, 22R, 24R	8 x 1.25mm LHM
636-795451, 795454, 796231	10 x 1.00mm LHF		24R, 25R (Prior 86)	8 x 1.25mm LHM
636-796232, 796233, 796234	10 x 1.00mm LHF		24R (After S/N 603702)	8 x 1.25mm LHF
636-796242, 636-796243	10 x 1.00mm LHF		225L, 225RI, (1995)	10 x 1.25mm LHF
79534C	10 x 1.25mm LHM		545 FR, FX, FXT, RX, RXT	12 x 1.75mm LHF
9-89658L2, 979551C, 979552C	10 x 1.25mm LHF		**JONSERED**	
			BR SERIES, BR400, BR450	8 x 1.25mm LHM
ECHO - KIORITZ			LR-200, LR-220B, LR-220L,	8 x 1.25mm LHM
SRM 1400, 140DA, 190,	10 x 1.25mm LHF		LR-260B, LR-300	8 x 1.25mm LHM
200DA, 200BE	10 x 1.25mm LHF		LR-320, LR-400, LR-420,	8 x 1.25mm LHM
SRM 200DB, 200AE, 200CE, 300E	10 x 1.25mm LHF		LR-450, LR-460	8 x 1.25mm LHM
SRM 250E, 2510	10 x 1.25mm LHF		TIGER 40	8 x 1.25mm LHM
SRM 300, 300AE, 300A/E, 303E	10 x 1.25mm LHF			
SRM 302DBX, 400AE,	10 x 1.25mm LHF		**KAWASAKI**	
400BE, 402DE	10 x 1.25mm LHF		TT30R	10 x 1.25mm LHF
SRM 501DE, 1400, 140DA,	10 x 1.25mm LHF		TD & TG 24	8 x 1.25mm LHF
1500, 1501	10 x 1.25mm LHF			
SRM 2200, 2201, 2205, 2210	10 x 1.25mm LHF		**McCULLOCH**	
SRM 2300, 2301, 2400, 2410	10 x 1.25mm LHF		MAC22, MAC23	8 x 1.25mm LHM
SRM 2500, 2501, 2501S, 2502, 3000	10 x 1.25mm LHF		MAC57	10 x 1.25mm LHM
SRM 3001, 3010, 3800, 4600	10 x 1.25mm LHF		MAC100A, MAC270,	10 x 1.25mm LHF
STM3000, 3010	10 x 1.25mm LHF		MAC90A, 95A, 95 PRO	10 x 1.25mm LHF
RM 303E	10 x 1.25mm LHF		100A, EB240, PSII	10 x 1.25mm LHF
GT1100, 1100A, GT2101, 2103	10 x 1.25mm LHF		85A, 85S, 85SL, 90, 95, 95A, 99A	10 x 1.25mm LHF

BRUSHCUTTER MAKE & MODEL	ARBOUR SIZE		BRUSHCUTTER MAKE & MODEL	ARBOUR SIZE
McCULLOCH cont			**STIHL cont**	
EB-IIVSL	10 x 1.25mm LHF		FS74, FS76 10 x 1.00mm LHF	10 x 1.00mm LHF
EB-280, EB-285BC,	10 x 1.25mm LHF		FS90, FS110, FS130, FS91	10 x 1.00mm LHF
EB-285BCS, FM-3000	10 x 1.25mm LHF		4 mix models,	10 x 1.00mm LHF
PRO-SCRAPER 1, II, IIHD, IV	8 x 1.25mm LHM		FS25-4, FS65-4,	10 x 1.00mm LHF
PRO-SCRAPER EB I, II, III, IV, V	10 x 1.25mm LHF		FS81AVE, FS81AVRE,	10 x 1.00mm LHF
SM100	10 x 1.25mm LHF		FS86AVE, FS86AVRE	10 x 1.00mm LHF
TITAN 2300, 2300A/V	10 x 1.25mm LHF		FR106, FS106, FS106AVE	10 x 1.00mm LHF
TITAN 2400, 2500, 2500A/V	10 x 1.25mm LHF			
TITAN 2250, 2310, 2360,	10 x 1.25mm LHF		**TANAKA**	
2560av, 2565av	10 x 1.25mm LHF		AST-5000	10 x 1.25mm LHM
TITAN 3000, 3900	10 x 1.25mm LHF		AST-700, AST-7000, AST-7000S	8 x 1.25mm LHM
			BC-350, BC-400	10 x 1.25mm LHM
POULAN			LT-210, LT-210E, NC-301	10 x 1.25mm LHF
900	10 x 1.25mm LHF		SUM-301, SUM-321	8 x 1.25mm LHM
1000	10 x 1.50mm LHF		TB-220, TB-220E	8 x 1.25mm LHM
150, 200	10 x 1.25mm LHF		TBC-160	8 x 1.25mm LHF
2620, 2820	10 x 1.25mm LHF		TBC-16D, TBC-215	8 x 1.25mm LHM
			TBC-202, TBC-205, TBC-210	8 x 1.25mm LHF
RYOBI			TBC-2110, TBC-2510	8 x 1.25mm LHF
GRASS HORNET/WEED HORNET	8 x 1.25mm LHF		TBC-220, TBC-220SS,	8 x 1.25mm LHM
RGH-600	8 x 1.25mm LHF		TBC-232, TBC-233	8 x 1.25mm LHM
RSH-1100MK2	10 x 1.25mm LHM		TBC-240, TBC250,	8 x 1.25mm LHM
SCRUB HORNET RHS900,	8 x 1.25mm LHM		TBC-262, TBC-265	8 x 1.25mm LHM
RSH900HB	8 x 1.25mm LHM		TBC-301, TBC-322,	8 x 1.25mm LHM
			TBC-325 (Older Model)	8 x 1.25mm LHM
SHINDAIWA			TBC-300, TBC-321, TBC-322,	10 x 1.25mm LHM
B40, C35, C350, RC45, BP35,	10 x 1.25mm LHM		TBC-355, TBC-373	10 x 1.25mm LHM
BP45, B450	10 x 1.25mm LHM		TBC-422C, TBC-425,	10 x 1.25mm LHM
BP35, C25, 45, C25, 27, F18, F20,	8 x 1.25mm LHM		TBC-500, TBC-501	10 x 1.25mm LHM
T260, C260, T270, C270, T350	8 x 1.25mm LHM		TBC-425, TBC-4000, TBC-4500	10 x 1.25mm LHM
R20, 25, 35, T25, T250, T260	8 x 1.25mm LHM		TN-3100, TN-3300 (Brain)	10 x 1.25mm LHM
STIHL			**TORO**	
FS40, FS44, FS55, FS90, FS110,	10 x 1.00mm LHF		1000, 2000, 2100	10 x 1.25mm LHF
FS85, FS120, FS200	10 x 1.00mm LHF		30900, 30910, 30920	10 x 1.25mm LHF
FS50, FS50E, FS51, FS60, FS61,	8 x 1.25mm LHM		51550, 51603, 51604, 51606,	10 x 1.25mm LHF
FS65, FS80 (old), FS90 (old)	8 x 1.25mm LHM		51607, 51608	10 x 1.25mm LHF
FS52AVRE, FS62AVRE, FS66AVE	10 x 1.00mm LHF		CL-700, CL-2100	10 x 1.25mm LHF
FS56AVE, FS56AVRE,	10 x 1.00mm LHF		TC SERIES	10 x 1.25mm LHF
FS66AVE, FS66AVRE	10 x 1.00mm LHF			

PO Box 3175 Clontarf DC Qld 4019,
359 MacDonnell Rd Clontarf Qld 4019
Ph: 07 3881 3464
Email: sales@asproducts.com.au
www.asproducts.com.au
ABN: 91 088 139 520



AUSTRALIA'S LARGEST BORON PARTS RANGE
PERFORMANCE
BORON
DURABILITY

ASP
Components ™









LA PIÑA
WORK WELL DONE

In association with our 23 year partnership with La Pina, ASP supply an array of wear resistant products that are manufactured to World Class Standards. Production of parts incorporates the latest technological advantages in Boron Steel processing. Boron steel is used to provide our customers with superior wear resistant characteristics and excellent value for money! ASP distribute our parts Australia wide and provide fast delivery coupled with great customer service.